CROKER

List Price Guide



QUALITY MATTERS.

CONNECT WITH CROKER:

Version 032222
Effective March 28, 2022

info@croker.com
www.croker.com
(800) 759-FIRE

Main Office and Warehouse:

7 Westchester Plaza
Elmsford, New York 10523
800-759-FIRE (3473)
(914) 592-3640
(914) 592-3892 (Fax)
Email: info@croker.com
Website: www.croker.com

Additional Locations:

Croker Texas
1110 South Airport Circle
Suite 110
Euless, Texas 76040
(877) 354-9905
(817) 354-9900
(817) 545-0055 (Fax)

Croker Florida
1600 NW 18th Street Ste 702
Pompano Beach, FL 33069
(954) 314-8973

General Terms & Conditions:

Payment Terms: Net 30 Days (With approved Credit). 2% Interest per month charged on past due accounts.

Freight Terms: For Elmsford, New York (or nearest point) the title passes to the buyer upon delivery of goods to the carrier. Common Carrier (truck) shipments are normally shipped freight collect. If specifically requested, shipment can be prepaid, but a 30% freight surcharge will be added to the freight charges. A $9.00 surcharge is added to United Parcel and Parcel Post shipments.

Minimum Sale: $100.00 Net. In the event an order is received under that stated minimum order value, a $25.00 "minimum invoice service charge" will be applied to the order but at no time will the minimum order exceed $100.00 NET before shipping, handling and taxes. All service charges are non- refundable.

Taxes: Any applicable local, state or federal sales or excise taxes will be added to all invoices unless tax exemption certificates are furnished.

Quotation Terms: Quotations are protected for 30 Days from the date of quotation. If an order is received within this period, the material must be released for shipment within 60 days of receipt of the order.

Force Majeure: Morris Group International companies will not be liable for any failure or delay in performing an obligation that is due to any of the following causes: acts of God, accident, riots, war, terrorist act, epidemic, pandemic, quarantine, civil commotion, breakdown of communication facilities, breakdown of web host, breakdown of internet service provider, natural catastrophes, governmental acts or omissions, changes in laws or regulations, national strikes, fire, explosion, transportation issues or generalized lack of availability of raw materials or energy.

Special Orders: We manufacture many items to order. No cancellations will be accepted for items not regularly stocked, once placed into production.

Liability: We accept no liability for costs of field labor or materials to adjust, change, or correct any product except by our written authorization.

Returned Goods: Return Goods Authorization (RGA) within 180 days from the date of shipment is required for all returns. All returned goods are subject to a 35% restocking charge, freight both ways, plus any other charges necessary to put material back into salable condition. Credit will be issued to apply only against future purchases.

Claims: Any shortage or error in shipment must be reported within 30 days. Damaged or lost goods should be reported to the carrier and shall be the responsibility of the purchaser.

Warranty: All products sold by Fire-End & Croker Corp. are guaranteed under intended and normal use for a period of one year from the date of shipment. This applies to products deemed inoperable or unusable due to defects in original material or workmanship. Any field modifications made by the purchaser may negate this warranty.


Origin & FAR Compliance: SUPPLIER reserves the right to furnish either foreign or domestic material unless otherwise specified by the customer at the time of quotation and noted on the subsequent purchase order. Requirements for product compliance and certification with the Buy American Act, Buy America Act, and any other Federal Acquisition Regulation shall be noted on the purchase order. Failure to document domestic and federal procurement requirements on the purchase order shall result in PURCHASER assuming all liability and replacement costs for products determined to be non-compliant.

Additional Notes: This price list supersedes all previous price lists. All prices are subject to change without notice. The possession of this price list by any person is not to be construed as an offer to sell them, or anyone else the listed herein at the prices named. We endeavor to eliminate any typographical errors or omissions but cannot be held responsible if they occur in this list price sheet.


	PAGE
Cabinets & Access Panels	
Hose Cabinets	4-6
Hose & Valve Cabinets	7
Hose & Extinguisher Cabinets	8
Hose, Valve, & Extinguisher Cabinets	9-10
Extinguisher Cabinets	11-15
Valve Cabinets	16-17
Valve & Extinguisher Cabinets	18
Cabinet Identification & Accessories	19
Security & Detention Cabinets	21
Access Panels	20-21
Marina Cabinets	21
NYC Storage Cabinets	22
Sprinkler Control Cabinets	22
Hose Assemblies	
Hose Rack Assemblies	23
Pin Racks & Rack Nipples	24
Hose & Couplings	24
Nozzles	25
Extinguishers	
Portable	26
Brackets	26
Automatic Spot Protection	26
Wheeled	26
Valves	
Angle Valves	27, 29
Pressure Restricting Valves	27-28
Hose Gate Valves	27
Globe Valves	27
Hydrant Valves	27
Ball Valves	27
Hydrolator	28
Pressure Reducing Valves	28, 30
Pressure Relief Valves	28

	PAGE
Valves (Continued)	
3-Way Gauge Valves	29
Caps	29
Parts & Accessories	29
Fire Dept. Connections	
Flush Mount Inlet FDCs	31-32
Rectangular Wall Plates	33
Storz FDCs	33
Exposed FDCs	33-34
Freestanding Inlet FDCs	33-34
Hydrants & Controls	34-35
Swivel & Snoot Adapters	35
Check Snoots	35
Plugs	35
Breakable Caps	36
Round Plates and ID Plates	36
Ball Drips and Sillcocks	36
Pump Test Headers	36
Roof Manifolds	37
Check Valves	37
Elbows	37
Dry Hydrants and Accessories	37
Additional Products	
Hose Storage	38-39
Non-Collapsible Rubber Hose	38
Hose Reels	38-39
Rack & Reel Covers	40
Adapters	40-41
Sprinkler Accessories	42
Testing Equipment	42
Industrial Monitors & Nozzles	43
FDC Bodies, Sleeves & Swivels	44
Steel & Aluminum Manifolds	45
Hose Thread Specification Chart	46


1000 SERIES




Catalog Page 2-8




Style A




Style D



Style DV



Style FW




Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass Clear Plex.	Style A Full Glass Clear Tempered	Style A Full Glass Clear Safety	Style D or DV Duo Panel or Vertical Clear Plex.	Style D or DV Duo Panel or Vertical Clear Tempered	Style D or DV Duo Panel or Vertical "Filmed" Wire	Style D or DV Duo Panel or Vertical Clear Safety	Style FW Full "Filmed" Wire	Style E Solid Door	Appr. Weight (Lbs.)
Steel												
1000	24 x 30 x 6	Recessed	**736**	**918**	**1,174**	**762**	**918**	**1,832**	**1,174**	**1,832**	**736**	28
1001	24 x 30 x 6	Semi-Recessed	**736**	**902**	**1,151**	**757**	**902**	**1,809**	**1,151**	**1,809**	**736**	30
1002	24 x 30 x 6	Semi-Recessed	**762**	**937**	**1,176**	**787**	**937**	**1,834**	**1,176**	**1,834**	**762**	31
1006	24 x 30 x 6	Trimless	**702**	**877**	**1,118**	**727**	**877**	**1,776**	**1,118**	**1,776**	**702**	28
1008	27 3/16 x 33 1/16 x 6 1/2	Surface	**849**	**1,019**	**1,261**	**870**	**1,019**	**1,917**	**1,261**	**1,917**	**849**	32
1010	24 x 34 3/4 x 6	Recessed	**750**	**920**	**1,176**	**773**	**920**	**1,834**	**1,176**	**1,834**	**750**	36
1011	24 x 34 3/4 x 6	Semi-Recessed	**794**	**964**	**1,222**	**812**	**964**	**1,880**	**1,222**	**1,880**	**794**	37
1012	24 x 34 3/4 x 6	Semi-Recessed	**828**	**999**	**1,259**	**849**	**999**	**1,914**	**1,259**	**1,914**	**828**	38
1016	24 x 34 3/4 x 6	Trimless	**750**	**920**	**1,176**	**773**	**920**	**1,834**	**1,176**	**1,834**	**750**	36
1018	27 3/16 x 37 5/16 x 6 1/2	Surface	**891**	**1,061**	**1,319**	**909**	**1,061**	**1,979**	**1,319**	**1,979**	**891**	40
Aluminum (Steel Tub)												
1000AL	24 x 30 x 6	Recessed	**902**	**1,086**	**1,342**	**964**	**1,086**	**2,002**	**1,342**	**2,002**	**902**	28
1001AL	24 x 30 x 6	Semi-Recessed	**950**	**1,134**	**1,390**	**1,012**	**1,134**	**2,050**	**1,390**	**2,050**	**950**	30
1002AL	24 x 30 x 6	Semi-Recessed	**1,003**	**1,185**	**1,440**	**1,063**	**1,185**	**2,101**	**1,440**	**2,101**	**1,003**	31
1006AL	24 x 30 x 6	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	28
1008AL	27 3/16 x 33 1/16 x 6 1/2	Surface	**1,243**	**1,445**	**1,735**	**1,305**	**1,445**	**2,391**	**1,735**	**2,391**	**1,243**	32
1010AL	24 x 34 3/4 x 6	Recessed	**1,012**	**1,192**	**1,461**	**1,072**	**1,192**	**2,119**	**1,461**	**2,119**	**1,012**	36
1011AL	24 x 34 3/4 x 6	Semi-Recessed	**1,072**	**1,252**	**1,523**	**1,137**	**1,252**	**2,181**	**1,523**	**2,181**	**1,072**	37
1012AL	24 x 34 3/4 x 6	Semi-Recessed	**1,137**	**1,319**	**1,590**	**1,201**	**1,319**	**2,244**	**1,590**	**2,244**	**1,137**	38
1016AL	24 x 34 3/4 x 6	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	36
1018AL	27 3/16 x 37 5/16 x 6 1/2	Surface	**1,374**	**1,576**	**1,880**	**1,445**	**1,576**	**2,540**	**1,880**	**2,540**	**1,374**	40
Stainless Steel (Steel Tub)												
1000SS	24 x 30 x 6	Recessed	**1,813**	**2,010**	**2,287**	**1,870**	**2,010**	**2,965**	**2,287**	**2,965**	**1,813**	28
1001SS	24 x 30 x 6	Semi-Recessed	**1,910**	**2,112**	**2,387**	**1,970**	**2,112**	**3,067**	**2,387**	**3,067**	**1,910**	30
1002SS	24 x 30 x 6	Semi-Recessed	**2,010**	**2,199**	**2,486**	**2,064**	**2,199**	**3,164**	**2,486**	**3,164**	**2,010**	31
1006SS	24 x 30 x 6	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	28
1008SS	27 3/16 x 33 1/16 x 6 1/2	Surface	**2,500**	**2,700**	**2,977**	**2,555**	**2,700**	**3,652**	**2,977**	**3,652**	**2,500**	32
1010SS	24 x 34 3/4 x 6	Recessed	**1,879**	**2,079**	**2,368**	**1,953**	**2,079**	**3,048**	**2,368**	**3,048**	**1,879**	36
1011SS	24 x 34 3/4 x 6	Semi-Recessed	**1,977**	**2,171**	**2,460**	**2,041**	**2,171**	**3,136**	**2,460**	**3,136**	**1,977**	37
1012SS	24 x 34 3/4 x 6	Semi-Recessed	**2,079**	**2,273**	**2,564**	**2,143**	**2,273**	**3,240**	**2,564**	**3,240**	**2,079**	38
1016SS	24 x 34 3/4 x 6	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	36
1018SS	27 3/16 x 37 5/16 x 6 1/2	Surface	**2,932**	**3,131**	**3,418**	**2,998**	**3,131**	**4,093**	**3,418**	**4,093**	**2,932**	40

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **524**

Fire-End & Croker Corporation • www.croker.com • info@croker.com • (800) 759-FIRE (Phone) • (914) 592-3892 (Fax)


1100 SERIES




Catalog Page 2-9




Style A




Style D



Style DV



Style FW



Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass Clear Plex.	Style A Full Glass Clear Tempered	Style A Full Glass Clear Safety	Style D or DV Duo Panel or Vertical Clear Plex.	Style D or DV Duo Panel or Vertical Clear Tempered	Style D or DV Duo Panel or Vertical "Filmed" Wire	Style D or DV Duo Panel or Vertical Clear Safety	Style FW Full "Filmed" Wire	Style E Solid Door	Appr. Weight (Lbs.)
Steel												
1100	24 x 30 x 8	Recessed	**702**	**877**	**1,118**	**727**	**877**	**1,776**	**1,118**	**1,776**	**702**	28
1101	24 x 30 x 8	Semi-Recessed	**736**	**902**	**1,151**	**757**	**902**	**1,809**	**1,151**	**1,809**	**736**	30
1102	24 x 30 x 8	Semi-Recessed	**762**	**937**	**1,176**	**787**	**937**	**1,834**	**1,176**	**1,834**	**762**	31
1106	24 x 30 x 8	Trimless	**702**	**877**	**1,118**	**727**	**877**	**1,776**	**1,118**	**1,776**	**702**	28
1108	27 3/16 x 33 3/16 x 8 1/2	Surface	**849**	**1,019**	**1,261**	**870**	**1,019**	**1,917**	**1,261**	**1,917**	**849**	32
1110	24 x 34 3/4 x 8	Recessed	**796**	**980**	**1,249**	**826**	**980**	**1,910**	**1,249**	**1,910**	**796**	36
1111	24 x 34 3/4 x 8	Semi-Recessed	**840**	**1,017**	**1,291**	**865**	**1,017**	**1,949**	**1,291**	**1,949**	**840**	37
1112	24 x 34 3/4 x 8	Semi-Recessed	**881**	**1,061**	**1,328**	**900**	**1,061**	**1,986**	**1,328**	**1,986**	**881**	38
1116	24 x 34 3/4 x 8	Trimless	**796**	**980**	**1,249**	**826**	**980**	**1,910**	**1,249**	**1,910**	**796**	36
1118	27 3/16 x 37 15/16 x 8 1/2	Surface	**941**	**1,118**	**1,390**	**960**	**1,118**	**2,050**	**1,390**	**2,050**	**941**	40
1120	24 x 38 3/4 x 8	Recessed	**828**	**1,052**	**1,298**	**844**	**1,052**	**1,958**	**1,298**	**1,958**	**828**	41
1121	24 x 38 3/4 x 8	Semi-Recessed	**874**	**1,098**	**1,344**	**895**	**1,098**	**2,004**	**1,344**	**2,004**	**874**	43
1122	24 x 38 3/4 x 8	Semi-Recessed	**918**	**1,144**	**1,390**	**941**	**1,144**	**2,050**	**1,390**	**2,050**	**918**	45
1126	24 x 38 3/4 x 8	Trimless	**828**	**1,052**	**1,298**	**844**	**1,052**	**1,958**	**1,298**	**1,958**	**828**	40
1128	27 3/16 x 41 15/16 x 8 1/2	Surface	**964**	**1,197**	**1,438**	**992**	**1,197**	**2,096**	**1,438**	**2,096**	**964**	50
Aluminum (Steel Tub)												
1100AL	24 x 30 x 8	Recessed	**914**	**1,095**	**1,351**	**964**	**1,095**	**2,009**	**1,351**	**2,009**	**914**	28
1101AL	24 x 30 x 8	Semi-Recessed	**964**	**1,144**	**1,399**	**1,012**	**1,144**	**2,057**	**1,399**	**2,057**	**964**	30
1102AL	24 x 30 x 8	Semi-Recessed	**1,017**	**1,201**	**1,457**	**1,063**	**1,201**	**2,115**	**1,457**	**2,115**	**1,017**	31
1106AL	24 x 30 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	28
1108AL	27 3/16 x 33 3/16 x 8 1/2	Surface	**1,249**	**1,454**	**1,746**	**1,305**	**1,454**	**2,402**	**1,746**	**2,402**	**1,249**	32
1110AL	24 x 34 3/4 x 8	Recessed	**1,022**	**1,203**	**1,473**	**1,088**	**1,203**	**2,131**	**1,473**	**2,131**	**1,022**	36
1111AL	24 x 34 3/4 x 8	Semi-Recessed	**1,088**	**1,268**	**1,539**	**1,151**	**1,268**	**2,193**	**1,539**	**2,193**	**1,088**	37
1112AL	24 x 34 3/4 x 8	Semi-Recessed	**1,151**	**1,328**	**1,599**	**1,213**	**1,328**	**2,260**	**1,599**	**2,260**	**1,151**	38
1116AL	24 x 34 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	36
1118AL	27 3/16 x 37 15/16 x 8 1/2	Surface	**1,390**	**1,595**	**1,898**	**1,457**	**1,595**	**2,554**	**1,898**	**2,554**	**1,390**	40
1120AL	24 x 38 3/4 x 8	Recessed	**1,052**	**1,272**	**1,523**	**1,114**	**1,272**	**2,181**	**1,523**	**2,181**	**1,052**	41
1121AL	24 x 38 3/4 x 8	Semi-Recessed	**1,114**	**1,342**	**1,590**	**1,180**	**1,342**	**2,244**	**1,590**	**2,244**	**1,114**	43
1122AL	24 x 38 3/4 x 8	Semi-Recessed	**1,185**	**1,406**	**1,657**	**1,247**	**1,406**	**2,315**	**1,657**	**2,315**	**1,185**	45
1126AL	24 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	40
1128AL	27 3/16 x 41 15/16 x 8 1/2	Surface	**1,415**	**1,668**	**1,949**	**1,491**	**1,668**	**2,607**	**1,949**	**2,607**	**1,415**	50

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **524** **List**


1100 SERIES




Catalog Page 2-9




Style A




Style D



Style DV



Style FW




Style E


Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Stainless Steel (Steel Tub)												
1100SS	24 x 30 x 8	Recessed	**1,825**	**2,024**	**2,297**	**1,879**	**2,024**	**2,977**	**2,297**	**2,977**	**1,825**	28
1101SS	24 x 30 x 8	Semi-Recessed	**1,925**	**2,124**	**2,399**	**1,979**	**2,124**	**3,076**	**2,399**	**3,076**	**1,925**	30
1102SS	24 x 30 x 8	Semi-Recessed	**2,024**	**2,221**	**2,498**	**2,079**	**2,221**	**3,176**	**2,498**	**3,176**	**2,024**	31
1106SS	24 x 30 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	28
1108SS	27 3/16 x 33 3/16 x 8 1/2	Surface	**2,583**	**2,773**	**3,060**	**2,631**	**2,773**	**3,738**	**3,060**	**3,738**	**2,583**	32
1110SS	24 x 34 3/4 x 8	Recessed	**1,901**	**2,090**	**2,387**	**1,970**	**2,090**	**3,067**	**2,387**	**3,067**	**1,901**	36
1111SS	24 x 34 3/4 x 8	Semi-Recessed	**1,996**	**2,188**	**2,486**	**2,064**	**2,188**	**3,164**	**2,486**	**3,164**	**1,996**	37
1112SS	24 x 34 3/4 x 8	Semi-Recessed	**2,090**	**2,287**	**2,583**	**2,164**	**2,287**	**3,261**	**2,583**	**3,261**	**2,090**	38
1116SS	24 x 34 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	36
1118SS	27 3/16 x 37 15/16 x 8 1/2	Surface	**3,008**	**3,197**	**3,493**	**3,024**	**3,197**	**4,171**	**3,493**	**4,171**	**3,008**	40
1120SS	24 x 38 3/4 x 8	Recessed	**1,972**	**2,216**	**2,486**	**2,024**	**2,216**	**3,164**	**2,486**	**3,164**	**1,972**	41
1121SS	24 x 38 3/4 x 8	Semi-Recessed	**2,022**	**2,263**	**2,531**	**2,074**	**2,263**	**3,207**	**2,531**	**3,207**	**2,022**	43
1122SS	24 x 38 3/4 x 8	Semi-Recessed	**2,064**	**2,308**	**2,572**	**2,119**	**2,308**	**3,249**	**2,572**	**3,249**	**2,064**	45
1126SS	24 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	40
1128SS	27 3/16 x 41 15/16 x 8 1/2	Surface	**3,133**	**3,380**	**3,645**	**3,188**	**3,380**	**4,323**	**3,645**	**4,323**	**3,133**	50

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **524** **List**


1200 SERIES




Catalog Page 2-10




Style A




Style D



Style DV



Style FW



Style E


Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Steel												
1200	24 x 38 3/4 x 8	Recessed	**828**	**1,052**	**1,298**	**844**	**1,052**	**1,958**	**1,298**	**1,958**	**828**	41
1201	24 x 38 3/4 x 8	Semi-Recessed	**874**	**1,098**	**1,344**	**895**	**1,098**	**2,004**	**1,344**	**2,004**	**874**	43
1202	24 x 38 3/4 x 8	Semi-Recessed	**918**	**1,144**	**1,390**	**941**	**1,144**	**2,050**	**1,390**	**2,050**	**918**	45
1206	24 x 38 3/4 x 8	Trimless	**828**	**1,052**	**1,298**	**844**	**1,052**	**1,958**	**1,298**	**1,958**	**828**	40
1208	27 3/16 x 41 15/16 x 8 1/2	Surface	**964**	**1,197**	**1,438**	**992**	**1,197**	**2,096**	**1,438**	**2,096**	**964**	50
1210	32 3/4 x 38 3/4 x 8	Recessed	**960**	**1,275**	**1,641**	**985**	**1,275**	**2,296**	**1,641**	**2,296**	**960**	48
1211	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,012**	**1,323**	**1,682**	**1,038**	**1,323**	**2,340**	**1,682**	**2,340**	**1,012**	51
1212	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,058**	**1,369**	**1,728**	**1,079**	**1,369**	**2,386**	**1,728**	**2,386**	**1,058**	55
1216	32 3/4 x 38 3/4 x 8	Trimless	**960**	**1,275**	**1,641**	**985**	**1,275**	**2,296**	**1,641**	**2,296**	**960**	46
1218	35 15/16 x 41 15/16 x 8 1/2	Surface	**1,102**	**1,415**	**1,776**	**1,121**	**1,415**	**2,435**	**1,776**	**2,435**	**1,102**	60
Aluminum (Steel Tub)												
1200AL	24 x 38 3/4 x 8	Recessed	**1,052**	**1,272**	**1,523**	**1,114**	**1,272**	**2,181**	**1,523**	**2,181**	**1,052**	41
1201AL	24 x 38 3/4 x 8	Semi-Recessed	**1,114**	**1,342**	**1,590**	**1,180**	**1,342**	**2,244**	**1,590**	**2,244**	**1,114**	43
1202AL	24 x 38 3/4 x 8	Semi-Recessed	**1,185**	**1,406**	**1,657**	**1,247**	**1,406**	**2,315**	**1,657**	**2,315**	**1,185**	45
1206AL	24 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	40
1208AL	27 3/16 x 41 15/16 x 8 1/2	Surface	**1,415**	**1,668**	**1,949**	**1,491**	**1,668**	**2,607**	**1,949**	**2,607**	**1,415**	50
1210AL	32 3/4 x 38 3/4 x 8	Recessed	**1,151**	**1,463**	**1,825**	**1,213**	**1,463**	**2,483**	**1,825**	**2,483**	**1,151**	48
1211AL	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,213**	**1,526**	**1,891**	**1,272**	**1,526**	**2,550**	**1,891**	**2,550**	**1,213**	51
1212AL	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,272**	**1,592**	**1,951**	**1,342**	**1,592**	**2,612**	**1,951**	**2,612**	**1,272**	55
1216AL	32 3/4 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	46
1218AL	35 15/16 x 41 15/16 x 8 1/2	Surface	**1,569**	**1,924**	**2,333**	**1,643**	**1,924**	**2,991**	**2,333**	**2,991**	**1,569**	60
Stainless Steel (Steel Tub)												
1200SS	24 x 38 3/4 x 8	Recessed	**1,972**	**2,216**	**2,486**	**2,024**	**2,216**	**3,164**	**2,486**	**3,164**	**1,972**	41
1201SS	24 x 38 3/4 x 8	Semi-Recessed	**2,022**	**2,263**	**2,531**	**2,074**	**2,263**	**3,207**	**2,531**	**3,207**	**2,022**	43
1202SS	24 x 38 3/4 x 8	Semi-Recessed	**2,064**	**2,308**	**2,572**	**2,119**	**2,308**	**3,249**	**2,572**	**3,249**	**2,064**	45
1206SS	24 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	40
1208SS	27 3/16 x 41 15/16 x 8 1/2	Surface	**3,133**	**3,380**	**3,645**	**3,188**	**3,380**	**4,323**	**3,645**	**4,323**	**3,133**	50
1210SS	32 3/4 x 38 3/4 x 8	Recessed	**2,297**	**2,645**	**3,034**	**2,368**	**2,645**	**3,714**	**3,034**	**3,714**	**2,297**	48
1211SS	32 3/4 x 38 3/4 x 8	Semi-Recessed	**2,377**	**2,718**	**3,110**	**2,448**	**2,718**	**3,785**	**3,110**	**3,785**	**2,377**	51
1212SS	32 3/4 x 38 3/4 x 8	Semi-Recessed	**2,455**	**2,804**	**3,190**	**2,531**	**2,804**	**3,868**	**3,190**	**3,868**	**2,455**	55
1216SS	32 3/4 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	46
1218SS	35 15/16 x 41 15/16 x 8 1/2	Surface	**3,621**	**3,963**	**4,349**	**3,690**	**3,963**	**5,027**	**4,349**	**5,027**	**3,621**	60

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **524** **List**




Catalog Page 2-11


1300 SERIES




Style A




Style D



Style DV




Style FW



Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Steel												
1300	32 3/4 x 34 3/4 x 8	Recessed	**881**	**1,174**	**1,491**	**900**	**1,174**	**2,147**	**1,491**	**2,147**	**881**	46
1301	32 3/4 x 34 3/4 x 8	Semi-Recessed	**937**	**1,224**	**1,544**	**953**	**1,224**	**2,202**	**1,544**	**2,202**	**937**	47
1302	32 3/4 x 34 3/4 x 8	Semi-Recessed	**980**	**1,270**	**1,592**	**999**	**1,270**	**2,248**	**1,592**	**2,248**	**980**	50
1306	32 3/4 x 34 3/4 x 8	Trimless	**881**	**1,174**	**1,491**	**900**	**1,174**	**2,147**	**1,491**	**2,147**	**881**	44
1308	35 15/16 x 37 15/16 x 8 1/2	Surface	**980**	**1,270**	**1,592**	**999**	**1,270**	**2,248**	**1,592**	**2,248**	**980**	54
1310	32 3/4 x 38 3/4 x 8	Recessed	**960**	**1,275**	**1,641**	**985**	**1,275**	**2,296**	**1,641**	**2,296**	**960**	48
1311	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,012**	**1,323**	**1,682**	**1,038**	**1,323**	**2,340**	**1,682**	**2,340**	**1,012**	51
1312	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,058**	**1,369**	**1,728**	**1,079**	**1,369**	**2,386**	**1,728**	**2,386**	**1,058**	55
1316	32 3/4 x 38 3/4 x 8	Trimless	**960**	**1,275**	**1,641**	**985**	**1,275**	**2,296**	**1,641**	**2,296**	**960**	46
1318	35 15/16 x 41 15/16 x 8 1/2	Surface	**1,102**	**1,415**	**1,776**	**1,121**	**1,415**	**2,435**	**1,776**	**2,435**	**1,102**	60
Aluminum (Steel Tub)												
1300AL	32 3/4 x 34 3/4 x 8	Recessed	**1,072**	**1,367**	**1,680**	**1,137**	**1,367**	**2,338**	**1,680**	**2,338**	**1,072**	46
1301AL	32 3/4 x 34 3/4 x 8	Semi-Recessed	**1,137**	**1,429**	**1,742**	**1,201**	**1,429**	**2,400**	**1,742**	**2,400**	**1,137**	47
1302AL	32 3/4 x 34 3/4 x 8	Semi-Recessed	**1,203**	**1,500**	**1,816**	**1,261**	**1,500**	**2,471**	**1,816**	**2,471**	**1,203**	50
1306AL	32 3/4 x 34 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	44
1308AL	35 15/16 x 37 15/16 x 8 1/2	Surface	**1,454**	**2,315**	**2,147**	**1,526**	**2,315**	**2,805**	**2,147**	**2,805**	**1,454**	54
1310AL	32 3/4 x 38 3/4 x 8	Recessed	**1,151**	**1,463**	**1,825**	**1,213**	**1,463**	**2,483**	**1,825**	**2,483**	**1,151**	48
1311AL	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,213**	**1,526**	**1,891**	**1,272**	**1,526**	**2,550**	**1,891**	**2,550**	**1,213**	51
1312AL	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,272**	**1,592**	**1,951**	**1,342**	**1,592**	**2,612**	**1,951**	**2,612**	**1,272**	55
1316AL	32 3/4 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	46
1318AL	35 15/16 x 41 15/16 x 8 1/2	Surface	**1,569**	**1,924**	**2,333**	**1,643**	**1,924**	**2,991**	**2,333**	**2,991**	**1,569**	60
Stainless Steel (Steel Tub)												
1300SS	32 3/4 x 34 3/4 x 8	Recessed	**2,124**	**2,439**	**2,775**	**2,183**	**2,439**	**3,456**	**2,775**	**3,456**	**2,124**	46
1301SS	32 3/4 x 34 3/4 x 8	Semi-Recessed	**2,230**	**2,519**	**2,887**	**2,287**	**2,519**	**3,565**	**2,887**	**3,565**	**2,230**	47
1302SS	32 3/4 x 34 3/4 x 8	Semi-Recessed	**2,342**	**2,631**	**2,998**	**2,410**	**2,631**	**3,676**	**2,998**	**3,676**	**2,342**	50
1306SS	32 3/4 x 34 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	44
1308SS	35 15/16 x 37 15/16 x 8 1/2	Surface	**3,202**	**3,498**	**3,866**	**3,278**	**3,498**	**4,543**	**3,866**	**4,543**	**3,202**	54
1310SS	32 3/4 x 38 3/4 x 8	Recessed	**2,297**	**2,645**	**3,034**	**2,368**	**2,645**	**3,714**	**3,034**	**3,714**	**2,297**	48
1311SS	32 3/4 x 38 3/4 x 8	Semi-Recessed	**2,377**	**2,718**	**3,110**	**2,448**	**2,718**	**3,785**	**3,110**	**3,785**	**2,377**	51
1312SS	32 3/4 x 38 3/4 x 8	Semi-Recessed	**2,455**	**2,804**	**3,190**	**2,531**	**2,804**	**3,868**	**3,190**	**3,868**	**2,455**	55
1316SS	32 3/4 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	46
1318SS	35 15/16 x 41 15/16 x 8 1/2	Surface	**3,621**	**3,963**	**4,349**	**3,690**	**3,963**	**5,027**	**4,349**	**5,027**	**3,621**	60


FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **524** **List**





Catalog Page 2-12

1400 SERIES


Style A


Style D


Style DV


Style FW




Style E


Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Steel												
1400	32 3/4 x 34 3/4 x 8	Recessed	**881**	**1,174**	**1,491**	**900**	**1,174**	**2,147**	**1,491**	**2,147**	**881**	46
1401	32 3/4 x 34 3/4 x 8	Semi-Recessed	**937**	**1,224**	**1,544**	**953**	**1,224**	**2,202**	**1,544**	**2,202**	**937**	47
1402	32 3/4 x 34 3/4 x 8	Semi-Recessed	**980**	**1,270**	**1,592**	**999**	**1,270**	**2,248**	**1,592**	**2,248**	**980**	50
1406	32 3/4 x 34 3/4 x 8	Trimless	**881**	**1,174**	**1,491**	**900**	**1,174**	**2,147**	**1,491**	**2,147**	**881**	44
1408	35 15/16 x 37 15/16 x 8 1/2	Surface	**980**	**1,270**	**1,592**	**999**	**1,270**	**2,248**	**1,592**	**2,248**	**980**	54
1410	32 3/4 x 38 3/4 x 8	Recessed	**960**	**1,275**	**1,641**	**985**	**1,275**	**2,296**	**1,641**	**2,296**	**960**	48
1411	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,012**	**1,323**	**1,682**	**1,038**	**1,323**	**2,340**	**1,682**	**2,340**	**1,012**	51
1412	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,058**	**1,369**	**1,728**	**1,079**	**1,369**	**2,386**	**1,728**	**2,386**	**1,058**	55
1416	32 3/4 x 38 3/4 x 8	Trimless	**960**	**1,275**	**1,641**	**985**	**1,275**	**2,296**	**1,641**	**2,296**	**960**	46
1418	35 15/16 x 41 15/16 x 8 1/2	Surface	**1,102**	**1,415**	**1,776**	**1,121**	**1,415**	**2,435**	**1,776**	**2,435**	**1,102**	60
Aluminum (Steel Tub)												
1400AL	32 3/4 x 34 3/4 x 8	Recessed	**1,072**	**1,367**	**1,680**	**1,137**	**1,367**	**2,338**	**1,680**	**2,338**	**1,072**	46
1401AL	32 3/4 x 34 3/4 x 8	Semi-Recessed	**1,137**	**1,429**	**1,742**	**1,201**	**1,429**	**2,400**	**1,742**	**2,400**	**1,137**	47
1402AL	32 3/4 x 34 3/4 x 8	Semi-Recessed	**1,203**	**1,500**	**1,816**	**1,261**	**1,500**	**2,471**	**1,816**	**2,471**	**1,203**	50
1406AL	32 3/4 x 34 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	44
1408AL	35 15/16 x 37 15/16 x 8 1/2	Surface	**1,454**	**2,315**	**2,147**	**1,526**	**2,315**	**2,805**	**2,147**	**2,805**	**1,454**	54
1410AL	32 3/4 x 38 3/4 x 8	Recessed	**1,151**	**1,463**	**1,825**	**1,213**	**1,463**	**2,483**	**1,825**	**2,483**	**1,151**	48
1411AL	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,213**	**1,526**	**1,891**	**1,272**	**1,526**	**2,550**	**1,891**	**2,550**	**1,213**	51
1412AL	32 3/4 x 38 3/4 x 8	Semi-Recessed	**1,272**	**1,592**	**1,951**	**1,342**	**1,592**	**2,612**	**1,951**	**2,612**	**1,272**	55
1416AL	32 3/4 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	46
1418AL	35 15/16 x 41 15/16 x 8 1/2	Surface	**1,569**	**1,924**	**2,333**	**1,643**	**1,924**	**2,991**	**2,333**	**2,991**	**1,569**	60
Stainless Steel (Steel Tub)												
1400SS	32 3/4 x 34 3/4 x 8	Recessed	**2,124**	**2,439**	**2,775**	**2,183**	**2,439**	**3,456**	**2,775**	**3,456**	**2,124**	46
1401SS	32 3/4 x 34 3/4 x 8	Semi-Recessed	**2,230**	**2,519**	**2,887**	**2,287**	**2,519**	**3,565**	**2,887**	**3,565**	**2,230**	47
1402SS	32 3/4 x 34 3/4 x 8	Semi-Recessed	**2,342**	**2,631**	**2,998**	**2,410**	**2,631**	**3,676**	**2,998**	**3,676**	**2,342**	50
1406SS	32 3/4 x 34 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	44
1408SS	35 15/16 x 37 15/16 x 8 1/2	Surface	**3,202**	**3,498**	**3,866**	**3,278**	**3,498**	**4,543**	**3,866**	**4,543**	**3,202**	54
1410SS	32 3/4 x 38 3/4 x 8	Recessed	**2,297**	**2,645**	**3,034**	**2,368**	**2,645**	**3,714**	**3,034**	**3,714**	**2,297**	48
1411SS	32 3/4 x 38 3/4 x 8	Semi-Recessed	**2,377**	**2,718**	**3,110**	**2,448**	**2,718**	**3,785**	**3,110**	**3,785**	**2,377**	51
1412SS	32 3/4 x 38 3/4 x 8	Semi-Recessed	**2,455**	**2,804**	**3,190**	**2,531**	**2,804**	**3,868**	**3,190**	**3,868**	**2,455**	55
1416SS	32 3/4 x 38 3/4 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	46
1418SS	35 15/16 x 41 15/16 x 8 1/2	Surface	**3,621**	**3,963**	**4,349**	**3,690**	**3,963**	**5,027**	**4,349**	**5,027**	**3,621**	60

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **524** **List**


1500 SERIES




Catalog Page 2-13




Style A




Style D



Style DV



Style FW



Style E


Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Steel												
1500	32 3/4 x 34 3/4 x 5 1/2	Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	51
1501	32 3/4 x 34 3/4 x 5 1/2	Semi-Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	52
1508	35 15/16 x 37 15/16 x 5 1/2	Surface	POA	POA	POA	POA	POA	POA	POA	POA	POA	59
1510	32 3/4 x 38 3/4 x 5 1/2	Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	53
1511	32 3/4 x 38 3/4 x 5 1/2	Semi-Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	56
1518	35 15/16 x 41 15/16 x 5 1/2	Surface	POA	POA	POA	POA	POA	POA	POA	POA	POA	65
Aluminum (Steel Tub)												
1500AL	32 3/4 x 34 3/4 x 5 1/2	Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	51
1501AL	32 3/4 x 34 3/4 x 5 1/2	Semi-Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	52
1508AL	35 15/16 x 37 15/16 x 5 1/2	Surface	POA	POA	POA	POA	POA	POA	POA	POA	POA	59
1510AL	32 3/4 x 38 3/4 x 5 1/2	Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	53
1511AL	32 3/4 x 38 3/4 x 5 1/2	Semi-Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	56
1518AL	35 15/16 x 41 15/16 x 5 1/2	Surface	POA	POA	POA	POA	POA	POA	POA	POA	POA	65
Stainless Steel (Steel Tub)												
1500SS	32 3/4 x 34 3/4 x 5 1/2	Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	51
1502SS	32 3/4 x 34 3/4 x 5 1/2	Semi-Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	52
1508SS	35 15/16 x 37 15/16 x 5 1/2	Surface	POA	POA	POA	POA	POA	POA	POA	POA	POA	59
1510SS	32 3/4 x 38 3/4 x 5 1/2	Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	53
1511SS	32 3/4 x 38 3/4 x 5 1/2	Semi-Recessed	POA	POA	POA	POA	POA	POA	POA	POA	POA	56
1518SS	35 15/16 x 41 15/16 x 5 1/2	Surface	POA	POA	POA	POA	POA	POA	POA	POA	POA	65

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: POA


1600 SERIES




Catalog Page 2-14




Style A




Style D



Style DV



Style FW



Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass Clear Plex.	Style A Full Glass Clear Tempered	Style A Full Glass Clear Safety	Style D or DV Duo Panel or Vertical Clear Plex.	Style D or DV Duo Panel or Vertical Clear Tempered	Style D or DV Duo Panel or Vertical "Filmed" Wire	Style D or DV Duo Panel or Vertical Clear Safety	Style FW Full "Filmed" Wire	Style E Solid Door	Appr. Weight (Lbs.)
Steel												
1600	9 x 18 x 5 1/2	Recessed	**345**	**380**	**538**	**400**	**435**	POA	**538**	POA	**345**	11
1601	9 x 18 x 5 1/2	Semi-Recessed	**357**	**391**	**548**	**410**	**444**	POA	**548**	POA	**357**	11
1602	9 x 18 x 5 1/2	Semi-Recessed	**440**	**474**	**635**	**497**	**532**	POA	**635**	POA	**440**	12
1606	9 x 18 x 5 1/2	Trimless	**387**	**421**	**573**	**440**	**474**	POA	**573**	POA	**387**	10
1608	12 3/16 x 21 3/16 x 6	Surface	**410**	**444**	**603**	**469**	**504**	POA	**603**	POA	**410**	13
1610	10 1/2 x 24 x 6	Recessed	**331**	**366**	**384**	**331**	**366**	POA	**384**	POA	**331**	17
1611	10 1/2 x 24 x 6	Semi-Recessed	**347**	**382**	**403**	**347**	**382**	POA	**403**	POA	**347**	17
1613	10 1/2 x 24 x 6	Semi-Recessed	**384**	**419**	**465**	**384**	**419**	POA	**465**	POA	**384**	18
****1614**	10 1/2 x 24 x 6	Semi-Recessed	**591**	**626**	**647**	**591**	**626**	POA	**647**	POA	**591**	19
1615	10 1/2 x 24 x 6	Semi-Recessed	**520**	**555**	**557**	**520**	**555**	POA	**557**	POA	**520**	20
1616	10 1/2 x 24 x 6	Trimless	**453**	**488**	**506**	**453**	**488**	POA	**506**	POA	**453**	17
1618	13 11/16 x 27 3/16 x 6 1/2	Surface	**391**	**426**	**492**	**391**	**426**	POA	**492**	POA	**391**	18
Aluminum (Steel Tub)												
1600AL	9 x 18 x 5 1/2	Recessed	**479**	**513**	**688**	**543**	**578**	POA	**688**	POA	**479**	10
1601AL	9 x 18 x 5 1/2	Semi-Recessed	**545**	**580**	**752**	**607**	**642**	POA	**752**	POA	**545**	10
1602AL	9 x 18 x 5 1/2	Semi-Recessed	**644**	**679**	**854**	**704**	**739**	POA	**854**	POA	**644**	12
1606AL	9 x 18 x 5 1/2	Trimless	**601**	**635**	**808**	**663**	**697**	POA	**808**	POA	**601**	10
1608AL	12 3/16 x 21 3/16 x 6	Surface	**992**	**1,026**	**1,215**	**1,054**	**1,088**	POA	**1,215**	POA	**992**	13
1610AL	10 1/2 x 24 x 6	Recessed	**497**	**532**	**573**	**497**	**532**	POA	**573**	POA	**497**	15
1611AL	10 1/2 x 24 x 6	Semi-Recessed	**511**	**545**	**591**	**511**	**545**	POA	**591**	POA	**511**	16
1613AL	10 1/2 x 24 x 6	Semi-Recessed	**545**	**580**	**681**	**545**	**580**	POA	**681**	POA	**545**	18
****1614AL**	10 1/2 x 24 x 6	Semi-Recessed	**681**	**716**	**854**	**681**	**716**	POA	**854**	POA	**681**	18
1615AL	10 1/2 x 24 x 6	Semi-Recessed	**660**	**695**	**812**	**660**	**695**	POA	**812**	POA	**660**	18
1616AL	10 1/2 x 24 x 6	Trimless	**656**	**690**	**732**	**656**	**690**	POA	**732**	POA	**656**	15
1618AL	13 11/16 x 27 3/16 x 6 1/2	Surface	**626**	**660**	**764**	**626**	**660**	POA	**764**	POA	**626**	17

1600 Series Cabinets continued on the next page

**ADAC-INCLUDES FLUSH PULL RING


FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS:

1600 Series	**450 List**
1610 Series	**337 List**


1600 SERIES




Catalog Page 2-14




Style A




Style D



Style DV



Style FW



Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Stainless Steel (Steel Tub)												
1600SS	9 x 18 x 5 1/2	Recessed	**853**	**889**	**1,059**	**912**	**948**	POA	**1,059**	POA	**853**	11
1601SS	9 x 18 x 5 1/2	Semi-Recessed	**941**	**976**	**1,152**	**979**	**1,014**	POA	**1,152**	POA	**941**	11
1602SS	9 x 18 x 5 1/2	Semi-Recessed	**1,026**	**1,062**	**1,235**	**1,062**	**1,097**	POA	**1,235**	POA	**1,026**	12
1606SS	9 x 18 x 5 1/2	Trimless	**908**	**943**	**1,112**	**941**	**976**	POA	**1,112**	POA	**908**	10
1608SS	12 3/16 x 21 3/16 x 6	Surface	**1,313**	**1,349**	**1,524**	**1,351**	**1,386**	POA	**1,524**	POA	**1,313**	13
1610SS	10 1/2 x 24 x 6	Recessed	**697**	**732**	**761**	**697**	**732**	POA	**761**	POA	**697**	17
1611SS	10 1/2 x 24 x 6	Semi-Recessed	**713**	**749**	**777**	**713**	**749**	POA	**777**	POA	**713**	17
1613SS	10 1/2 x 24 x 6	Semi-Recessed	**867**	**903**	**901**	**867**	**903**	POA	**901**	POA	**867**	18
****1614SS**	10 1/2 x 24 x 6	Semi-Recessed	**1,019**	**1,055**	**1,277**	**1,019**	**1,055**	POA	**1,277**	POA	**1,019**	19
1615SS	10 1/2 x 24 x 6	Semi-Recessed	**948**	**984**	**1,249**	**948**	**984**	POA	**1,249**	POA	**948**	20
1616SS	10 1/2 x 24 x 6	Trimless	**1,010**	**1,045**	**1,074**	**1,010**	**1,045**	POA	**1,074**	POA	**1,010**	17
1618SS	13 11/16 x 27 3/16 x 6 1/2	Surface	**1,019**	**1,055**	**1,204**	**1,019**	**1,055**	POA	**1,204**	POA	**1,019**	18


**ADAC-INCLUDES FLUSH PULL RING


FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS:


1600 Series	**450 List**
1610 Series	**337 List**





1620 - 1630 - 1640 SERIES


Style A


Style D


Style DV


Style FW


Style E

Catalog Page 2-15


Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Steel												
1620	12 x 27 x 7 3/4	Recessed	**474**	**509**	**729**	**522**	**557**	POA	**729**	POA	**474**	23
1621	12 x 27 x 7 3/4	Semi-Recessed	**525**	**559**	**778**	**557**	**591**	POA	**778**	POA	**525**	24
1622	12 x 27 x 7 3/4	Semi-Recessed	**607**	**642**	**874**	**642**	**677**	POA	**874**	POA	**607**	25
****1624**	12 x 27 x 7 3/4	Semi-Recessed	**762**	**796**	**1,033**	**794**	**828**	POA	**1,033**	POA	**762**	27
1626	12 x 27 x 7 3/4	Trimless	**603**	**637**	**858**	**640**	**674**	POA	**858**	POA	**603**	22
1628	15 3/16 x 30 3/16 x 8 1/4	Surface	**596**	**630**	**854**	**635**	**670**	POA	**854**	POA	**596**	28
1630	16x 32 x 7 3/4	Recessed	**757**	**792**	**1,222**	**798**	**833**	POA	**1,222**	POA	**757**	35
1631	16x 32 x 7 3/4	Semi-Recessed	**789**	**824**	**1,259**	**833**	**867**	POA	**1,259**	POA	**789**	35
1632	16x 32 x 7 3/4	Semi-Recessed	**854**	**888**	**1,330**	**895**	**930**	POA	**1,330**	POA	**854**	37
****1634**	16x 32 x 7 3/4	Semi-Recessed	**994**	**1,029**	**1,477**	**1,038**	**1,072**	POA	**1,477**	POA	**994**	37
1635	16x 32 x 7 3/4	Semi-Recessed	**911**	**946**	**1,394**	**957**	**992**	POA	**1,394**	POA	**911**	38
1636	16x 32 x 7 3/4	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	35
1638	19 3/16 x 35 3/16 x 8 1/4	Surface	**831**	**865**	**1,309**	**870**	**904**	POA	**1,309**	POA	**831**	38
1640	20 x 27 x 7 3/4	Recessed	**794**	**828**	**1,261**	**835**	**870**	POA	**1,261**	POA	**794**	36
1641	20 x 27 x 7 3/4	Semi-Recessed	**835**	**870**	**1,300**	**870**	**904**	POA	**1,300**	POA	**835**	36
1642	20 x 27 x 7 3/4	Semi-Recessed	**895**	**930**	**1,374**	**934**	**969**	POA	**1,374**	POA	**895**	37
****1644**	20 x 27 x 7 3/4	Semi-Recessed	**1,065**	**1,100**	**1,556**	**1,109**	**1,144**	POA	**1,556**	POA	**1,065**	38
1645	20 x 27 x 7 3/4	Semi-Recessed	**987**	**1,022**	**1,468**	**1,029**	**1,063**	POA	**1,468**	POA	**987**	39
1646	20 x 27 x 7 3/4	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	36
1648	23 3/16 X 30 3/16 x 8 1/4	Surface	**886**	**920**	**1,365**	**925**	**960**	POA	**1,365**	POA	**886**	39
Aluminum (Steel Tub)												
1620AL	12 x 27 x 7 3/4	Recessed	**573**	**607**	**833**	**607**	**642**	POA	**833**	POA	**573**	21
1621AL	12 x 27 x 7 3/4	Semi-Recessed	**677**	**711**	**943**	**709**	**743**	POA	**943**	POA	**677**	22
1622AL	12 x 27 x 7 3/4	Semi-Recessed	**796**	**831**	**1,065**	**833**	**867**	POA	**1,065**	POA	**796**	23
****1624AL**	12 x 27 x 7 3/4	Semi-Recessed	**985**	**1,019**	**1,254**	**1,017**	**1,052**	POA	**1,254**	POA	**985**	25
1626AL	12 x 27 x 7 3/4	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	20
1628AL	15 3/16 x 30 3/16 x 8 1/4	Surface	**1,144**	**1,178**	**1,424**	**1,174**	**1,208**	POA	**1,424**	POA	**1,144**	25
1630AL	16x 32 x 7 3/4	Recessed	**759**	**794**	**1,226**	**801**	**835**	POA	**1,226**	POA	**759**	29
1631AL	16x 32 x 7 3/4	Semi-Recessed	**828**	**863**	**1,300**	**870**	**904**	POA	**1,300**	POA	**828**	29
1632AL	16x 32 x 7 3/4	Semi-Recessed	**1,006**	**1,040**	**1,500**	**1,049**	**1,084**	POA	**1,500**	POA	**1,006**	30
****1634AL**	16x 32 x 7 3/4	Semi-Recessed	**1,194**	**1,229**	**1,691**	**1,231**	**1,266**	POA	**1,691**	POA	**1,194**	30
1635AL	16x 32 x 7 3/4	Semi-Recessed	**1,102**	**1,137**	**1,602**	**1,151**	**1,185**	POA	**1,602**	POA	**1,102**	32
1636AL	16x 32 x 7 3/4	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	29
1638AL	19 3/16 x 35 3/16 x 8 1/4	Surface	**1,293**	**1,328**	**1,772**	**1,337**	**1,371**	POA	**1,772**	POA	**1,293**	32

1620 thru 1640 Series Cabinets continued on the next page


1620 - 1630 - 1640 SERIES




Catalog Page 2-15




Style A




Style D



Style DV



Style FW



Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass Clear Plex.	Style A Full Glass Clear Tempered	Style A Full Glass Clear Safety	Style D or DV Duo Panel or Vertical Clear Plex.	Style D or DV Duo Panel or Vertical Clear Tempered	Style D or DV Duo Panel or Vertical "Filmed" Wire	Style D or DV Duo Panel or Vertical Clear Safety	Style FW Full "Filmed" Wire	Style E Solid Door	Appr. Weight (Lbs.)
Aluminum (Steel Tub)												
1640AL	20 x 27 x 7 3/4	Recessed	**810**	**844**	**1,293**	**854**	**888**	POA	**1,293**	POA	**810**	33
1641AL	20 x 27 x 7 3/4	Semi-Recessed	**939**	**973**	**1,415**	**985**	**1,019**	POA	**1,415**	POA	**939**	33
1642AL	20 x 27 x 7 3/4	Semi-Recessed	**1,061**	**1,095**	**1,562**	**1,102**	**1,137**	POA	**1,562**	POA	**1,061**	34
****1644AL**	20 x 27 x 7 3/4	Semi-Recessed	**1,266**	**1,300**	**1,770**	**1,307**	**1,342**	POA	**1,770**	POA	**1,266**	35
1645AL	20 x 27 x 7 3/4	Semi-Recessed	**1,174**	**1,208**	**1,677**	**1,220**	**1,254**	POA	**1,677**	POA	**1,174**	36
1646AL	20 x 27 x 7 3/4	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	33
1648AL	23 3/16 X 30 3/16 x 8 1/4	Surface	**1,438**	**1,473**	**1,942**	**1,477**	**1,512**	POA	**1,942**	POA	**1,438**	36
Stainless Steel (Steel Tub)												
1620SS	12 x 27 x 7 3/4	Recessed	**1,045**	**1,081**	**1,311**	**1,090**	**1,126**	POA	**1,311**	POA	**1,045**	23
1621SS	12 x 27 x 7 3/4	Semi-Recessed	**1,097**	**1,133**	**1,370**	**1,145**	**1,180**	POA	**1,370**	POA	**1,097**	24
1622SS	12 x 27 x 7 3/4	Semi-Recessed	**1,197**	**1,232**	**1,474**	**1,240**	**1,275**	POA	**1,474**	POA	**1,197**	25
****1624SS**	12 x 27 x 7 3/4	Semi-Recessed	**1,522**	**1,557**	**1,804**	**1,569**	**1,605**	POA	**1,804**	POA	**1,522**	27
1626SS	12 x 27 x 7 3/4	Trimless	**1,062**	**1,097**	**1,330**	**1,100**	**1,135**	POA	**1,330**	POA	**1,062**	22
1628SS	15 3/16 x 30 3/16 x 8 1/4	Surface	**1,543**	**1,578**	**1,818**	**1,586**	**1,621**	POA	**1,818**	POA	**1,543**	28
1630SS	16x 32 x 7 3/4	Recessed	**1,327**	**1,363**	**1,818**	**1,360**	**1,396**	POA	**1,818**	POA	**1,327**	35
1631SS	16x 32 x 7 3/4	Semi-Recessed	**1,358**	**1,394**	**1,851**	**1,394**	**1,429**	POA	**1,851**	POA	**1,358**	35
1632SS	16x 32 x 7 3/4	Semi-Recessed	**1,453**	**1,488**	**1,953**	**1,491**	**1,526**	POA	**1,953**	POA	**1,453**	37
****1634SS**	16x 32 x 7 3/4	Semi-Recessed	**1,768**	**1,804**	**2,263**	**1,804**	**1,839**	POA	**2,263**	POA	**1,768**	37
1635SS	16x 32 x 7 3/4	Semi-Recessed	**1,683**	**1,718**	**2,176**	**1,711**	**1,747**	POA	**2,176**	POA	**1,683**	38
1636SS	16x 32 x 7 3/4	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	35
1638SS	19 3/16 x 35 3/16 x 8 1/4	Surface	**1,842**	**1,877**	**2,261**	**1,872**	**1,908**	POA	**2,261**	POA	**1,842**	38
1640SS	20 x 27 x 7 3/4	Recessed	**1,410**	**1,446**	**1,903**	**1,443**	**1,479**	POA	**1,903**	POA	**1,410**	36
1641SS	20 x 27 x 7 3/4	Semi-Recessed	**1,507**	**1,543**	**2,005**	**1,543**	**1,578**	POA	**2,005**	POA	**1,507**	36
1642SS	20 x 27 x 7 3/4	Semi-Recessed	**1,514**	**1,550**	**2,007**	**1,552**	**1,588**	POA	**2,007**	POA	**1,514**	37
****1644SS**	20 x 27 x 7 3/4	Semi-Recessed	**1,834**	**1,870**	**2,330**	**1,865**	**1,901**	POA	**2,330**	POA	**1,834**	38
1645SS	20 x 27 x 7 3/4	Semi-Recessed	**1,747**	**1,782**	**2,240**	**1,778**	**1,813**	POA	**2,240**	POA	**1,747**	39
1646SS	20 x 27 x 7 3/4	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	36
1648SS	23 3/16 X 30 3/16 x 8 1/4	Surface	**1,939**	**1,974**	**2,439**	**1,977**	**2,012**	POA	**2,439**	POA	**1,939**	39

**ADAC-INCLUDES FLUSH PULL RING

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **450 List**




1650 - 1670 SERIES


Style AB


Style BGB


Catalog Page 2-16

Fig. No.	Box Dimensions	Style	Style AB Full Clear Bubble	Style BGB Full Clear Bubble w/ BK-LOK	Appr. Weight (Lbs.)
Steel					
1650	10 1/2 x 24 x 4	Recessed	**416**	**456**	12
1651	10 1/2 x 24 x 4	Semi-Recessed	**416**	**456**	13
1652	10 1/2 x 24 x 4	Semi-Recessed	**472**	**509**	15
1658	13 11/16 x 27 3/16 x 4 5/8	Surface	**497**	**527**	14
1660	14 x 30 x 4	Recessed	**736**	**803**	17
1661	14 x 30 x 4	Semi-Recessed	**757**	**826**	21
1662	14 x 30 x 4	Semi-Recessed	**858**	**927**	22
1668	17 3/16 x 33 3/16 x 4 5/8	Surface	**920**	**992**	22
1670	28 x 30 x 4	Recessed	**1,174**	**1,238**	29
1678	31 3/16 x 33 3/16 x 4 5/8	Surface	**1,197**	**1,261**	29
Aluminum (Steel Tub)					
1650AL	10 1/2 x 24 x 4	Recessed	**541**	**580**	12
1651AL	10 1/2 x 24 x 4	Semi-Recessed	**541**	**580**	13
1652AL	10 1/2 x 24 x 4	Semi-Recessed	**587**	**626**	15
1658AL	13 11/16 x 27 3/16 x 4 5/8	Surface	**702**	**741**	14
1660AL	14 x 30 x 4	Recessed	**886**	**948**	17
1661AL	14 x 30 x 4	Semi-Recessed	**909**	**971**	21
1662AL	14 x 30 x 4	Semi-Recessed	**1,006**	**1,068**	22
1668AL	17 3/16 x 33 3/16 x 4 5/8	Surface	**1,052**	**1,118**	22
1670AL	28 x 30 x 4	Recessed	**1,295**	**1,355**	29
1678AL	31 3/16 x 33 3/16 x 4 5/8	Surface	**1,595**	**1,654**	29
Stainless Steel (Steel Tub)					
1650SS	10 1/2 x 24 x 4	Recessed	**742**	**782**	12
1651SS	10 1/2 x 24 x 4	Semi-Recessed	**742**	**782**	13
1652SS	10 1/2 x 24 x 4	Semi-Recessed	**927**	**969**	15
1658SS	13 11/16 x 27 3/16 x 4 5/8	Surface	**1,019**	**1,062**	14
1660SS	14 x 30 x 4	Recessed	**1,417**	**1,491**	17
1661SS	14 x 30 x 4	Semi-Recessed	**1,500**	**1,571**	21
1662SS	14 x 30 x 4	Semi-Recessed	**1,571**	**1,645**	22
1668SS	17 3/16 x 33 3/16 x 4 5/8	Surface	**1,737**	**1,808**	22
1670SS	28 x 30 x 4	Recessed	**1,934**	**2,000**	29
1678SS	31 3/16 x 33 3/16 x 4 5/8	Surface	**2,408**	**2,474**	29

**ADAC-INCLUDES FLUSH PULL RING

FR - ADD FOR FIRE-RATED TUB ON RECESSED, AND SEMI-RECESSED STYLE CABINETS: **450 List**


1700 SERIES




Catalog Page 2-17




Style A




Style D



Style DV



Style FW




Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass Clear Plex.	Style A Full Glass Clear Tempered	Style A Full Glass Clear Safety	Style D or DV Duo Panel or Vertical Clear Plex.	Style D or DV Duo Panel or Vertical Clear Tempered	Style D or DV Duo Panel or Vertical "Filmed" Wire	Style D or DV Duo Panel or Vertical Clear Safety	Style FW Full "Filmed" Wire	Style E Solid Door	Appr. Weight (Lbs.)
Steel												
1700	18 x 18 x 8	Recessed	**438**	**633**	**762**	**564**	**633**	**1,422**	**762**	**1,422**	**435**	22
1701	18 x 18 x 8	Semi-Recessed	**578**	**670**	**794**	**601**	**670**	**1,452**	**794**	**1,452**	**578**	24
1702	18 x 18 x 8	Semi-Recessed	**621**	**711**	**835**	**644**	**711**	**1,493**	**835**	**1,493**	**621**	26
1706	18 x 18 x 8	Trimless	**543**	**633**	**762**	**564**	**633**	**1,422**	**762**	**1,422**	**543**	22
1708	21 3/16 x 21 3/16 x 8 1/2	Surface	**568**	**697**	**826**	**626**	**697**	**1,482**	**826**	**1,482**	**607**	28
1710	18 x 18 x 10	Recessed	**677**	**766**	**895**	**697**	**766**	**1,556**	**895**	**1,556**	**677**	24
1711	18 x 18 x 10	Semi-Recessed	**711**	**803**	**927**	**734**	**803**	**1,585**	**927**	**1,585**	**711**	26
1712	18 x 18 x 10	Semi-Recessed	**755**	**844**	**969**	**778**	**844**	**1,627**	**969**	**1,627**	**755**	28
1716	18 x 18 x 10	Trimless	**677**	**766**	**895**	**697**	**766**	**1,556**	**895**	**1,556**	**677**	24
1718	21 3/16 x 21 3/16 x 10 1/2	Surface	**741**	**831**	**960**	**759**	**831**	**1,615**	**960**	**1,615**	**741**	30
1720	26 x 26 x 10	Recessed	**891**	**1,029**	**1,114**	**916**	**1,029**	**1,770**	**1,114**	**1,770**	**891**	42
1721	26 x 26 x 10	Semi-Recessed	**934**	**1,077**	**1,155**	**960**	**1,077**	**1,816**	**1,155**	**1,816**	**934**	43
1722	26 x 26 x 10	Semi-Recessed	**962**	**1,098**	**1,185**	**983**	**1,098**	**1,843**	**1,185**	**1,843**	**962**	45
1726	26 x 26 x 10	Trimless	**891**	**1,029**	**1,114**	**916**	**1,029**	**1,770**	**1,114**	**1,770**	**891**	42
1728	29 3/16 x 29 3/16 x 10 1/2	Surface	**962**	**1,098**	**1,185**	**983**	**1,098**	**1,843**	**1,185**	**1,843**	**962**	47
Aluminum (Steel Tub)												
1700AL	18 x 18 x 8	Recessed	**697**	**789**	**914**	**750**	**789**	**1,572**	**914**	**1,572**	**697**	22
1701AL	18 x 18 x 8	Semi-Recessed	**727**	**817**	**897**	**775**	**817**	**1,556**	**897**	**1,556**	**727**	24
1702AL	18 x 18 x 8	Semi-Recessed	**844**	**937**	**1,063**	**895**	**937**	**1,723**	**1,063**	**1,723**	**844**	26
1706AL	18 x 18 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	22
1708AL	21 3/16 x 21 3/16 x 8 1/2	Surface	**1,088**	**1,215**	**1,328**	**1,144**	**1,215**	**1,986**	**1,328**	**1,986**	**1,088**	28
1710AL	18 x 18 x 10	Recessed	**831**	**923**	**1,047**	**884**	**923**	**1,705**	**1,047**	**1,705**	**831**	24
1711AL	18 x 18 x 10	Semi-Recessed	**861**	**950**	**1,031**	**909**	**950**	**1,689**	**1,031**	**1,689**	**861**	26
1712AL	18 x 18 x 10	Semi-Recessed	**978**	**1,070**	**1,197**	**1,029**	**1,070**	**1,857**	**1,197**	**1,857**	**978**	28
1716AL	18 x 18 x 10	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	24
1718AL	21 3/16 x 21 3/16 x 10 1/2	Surface	**1,222**	**1,348**	**1,461**	**1,277**	**1,348**	**2,119**	**1,461**	**2,119**	**1,222**	30
1720AL	26 x 26 x 10	Recessed	**1,125**	**1,236**	**1,355**	**1,185**	**1,236**	**2,013**	**1,355**	**2,013**	**1,125**	42
1721AL	26 x 26 x 10	Semi-Recessed	**1,151**	**1,295**	**1,385**	**1,220**	**1,295**	**2,046**	**1,385**	**2,046**	**1,151**	43
1722AL	26 x 26 x 10	Semi-Recessed	**1,199**	**1,342**	**1,431**	**1,263**	**1,342**	**2,092**	**1,431**	**2,092**	**1,199**	45
1726AL	26 x 26 x 10	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	42
1728AL	29 3/16 x 29 3/16 x 10 1/2	Surface	**1,429**	**1,590**	**1,700**	**1,500**	**1,590**	**2,359**	**1,700**	**2,359**	**1,429**	47

1700 Series Cabinets continued on the next page


1700 SERIES




Catalog Page 2-17




Style A




Style D



Style DV



Style FW



Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Stainless Steel (Steel Tub)												
1700SS	18 x 18 x 8	Recessed	**1,098**	**1,199**	**1,332**	**1,154**	**1,199**	**2,011**	**1,332**	**2,011**	**1,098**	22
1701SS	18 x 18 x 8	Semi-Recessed	**1,157**	**1,256**	**1,391**	**1,214**	**1,256**	**2,068**	**1,391**	**2,068**	**1,157**	24
1702SS	18 x 18 x 8	Semi-Recessed	**1,214**	**1,308**	**1,443**	**1,266**	**1,308**	**2,120**	**1,443**	**2,120**	**1,214**	26
1706SS	18 x 18 x 8	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	22
1708SS	21 3/16 x 21 3/16 x 8 1/2	Surface	**1,691**	**1,786**	**1,921**	**1,743**	**1,786**	**2,597**	**1,921**	**2,597**	**1,691**	28
1710SS	18 x 18 x 10	Recessed	**1,235**	**1,337**	**1,469**	**1,292**	**1,337**	**2,148**	**1,469**	**2,148**	**1,235**	24
1711SS	18 x 18 x 10	Semi-Recessed	**1,294**	**1,393**	**1,528**	**1,351**	**1,393**	**2,205**	**1,528**	**2,205**	**1,294**	26
1712SS	18 x 18 x 10	Semi-Recessed	**1,351**	**1,445**	**1,580**	**1,403**	**1,445**	**2,257**	**1,580**	**2,257**	**1,351**	28
1716SS	18 x 18 x 10	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	24
1718SS	21 3/16 x 21 3/16 x 10 1/2	Surface	**1,829**	**1,923**	**2,058**	**1,881**	**1,923**	**2,735**	**2,058**	**2,735**	**1,829**	30
1720SS	26 x 26 x 10	Recessed	**1,871**	**2,027**	**2,120**	**1,940**	**2,027**	**2,798**	**2,120**	**2,798**	**1,871**	42
1721SS	26 x 26 x 10	Semi-Recessed	**1,952**	**2,110**	**2,207**	**2,023**	**2,110**	**2,881**	**2,207**	**2,881**	**1,952**	43
1722SS	26 x 26 x 10	Semi-Recessed	**2,039**	**2,191**	**2,288**	**2,105**	**2,191**	**2,966**	**2,288**	**2,966**	**2,039**	45
1726SS	26 x 26 x 10	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	42
1728SS	29 3/16 x 29 3/16 x 10 1/2	Surface	**2,877**	**3,035**	**3,123**	**2,943**	**3,035**	**3,801**	**3,123**	**3,801**	**2,877**	47

Notes: **Cabinet Installations including a 2.5" Valve, Reducer, & 1.5" Cap require a Tub Depth of 10"**

5610 Field Adj. PRVs require 1720 Series Cabinet (12" Depth with Reducer & 1.5" Cap)

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS:

1700 Series	**392**	**List**
1710/1720 Series	**524**	**List**

1750 - 1770 SERIES




1750 SERIES




1770 SERIES


Catalog Page 2-18




Style A




Style D



Style DV



Style FW



Style E

Fig. No.	Box Dimensions	Style	Style A Full Glass: Clear Plex.	Style A Full Glass: Clear Tempered	Style A Full Glass: Clear Safety	Style D or DV Duo Panel or Vertical: Clear Plex.	Style D or DV Duo Panel or Vertical: Clear Tempered	Style D or DV Duo Panel or Vertical: "Filmed" Wire	Style D or DV Duo Panel or Vertical: Clear Safety	Style FW: Full "Filmed" Wire	Style E: Solid Door	Appr. Weight (Lbs.)
Steel												
1750	20 x 27 x 7 3/4	Recessed	**865**	**900**	**1,332**	**907**	**941**	POA	**1,332**	POA	**865**	36
1751	20 x 27 x 7 3/4	Semi-Recessed	**907**	**941**	**1,372**	**941**	**976**	POA	**1,372**	POA	**907**	36
1752	20 x 27 x 7 3/4	Semi-Recessed	**967**	**1,001**	**1,445**	**1,006**	**1,040**	POA	**1,445**	POA	**967**	37
1758	23 3/16 x 30 3/16 x 8 1/4	Surface	**886**	**920**	**1,365**	**925**	**960**	POA	**1,365**	POA	**886**	39
1770	16 x 40 x 9	Recessed	**849**	**1,003**	**1,298**	**874**	**1,003**	**1,958**	**1,298**	**1,958**	**849**	35
1771	16 x 40 x 9	Semi-Recessed	**881**	**1,040**	**1,328**	**900**	**1,040**	**1,986**	**1,328**	**1,986**	**881**	35
1772	16 x 40 x 9	Semi-Recessed	**911**	**1,068**	**1,365**	**937**	**1,068**	**2,025**	**1,365**	**2,025**	**911**	37
1776	16 x 40 x 9	Trimless	**849**	**1,003**	**1,298**	**874**	**1,003**	**1,958**	**1,298**	**1,958**	**849**	34
1778	19 3/16 x 43 3/16 x 91/2	Surface	**971**	**1,125**	**1,422**	**994**	**1,125**	**2,080**	**1,422**	**2,080**	**971**	38
Aluminum (Steel Tub)												
1750AL	20 x 27 x 7 3/4	Recessed	**881**	**916**	**1,365**	**925**	**960**	POA	**1,365**	POA	**881**	36
1751AL	20 x 27 x 7 3/4	Semi-Recessed	**1,010**	**1,045**	**1,487**	**1,056**	**1,091**	POA	**1,487**	POA	**1,010**	36
1752AL	20 x 27 x 7 3/4	Semi-Recessed	**1,132**	**1,167**	**1,634**	**1,174**	**1,208**	POA	**1,634**	POA	**1,132**	37
1758AL	23 3/16 x 30 3/16 x 8 1/4	Surface	**1,438**	**1,473**	**1,942**	**1,477**	**1,512**	POA	**1,942**	POA	**1,438**	39
1770AL	16 x 40 x 9	Recessed	**964**	**1,121**	**1,411**	**1,022**	**1,121**	**2,066**	**1,411**	**2,066**	**964**	35
1771AL	16 x 40 x 9	Semi-Recessed	**1,015**	**1,171**	**1,463**	**1,079**	**1,171**	**2,124**	**1,463**	**2,124**	**1,015**	35
1772AL	16 x 40 x 9	Semi-Recessed	**1,065**	**1,222**	**1,519**	**1,130**	**1,222**	**2,177**	**1,519**	**2,177**	**1,065**	37
1776AL	16 x 40 x 9	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	34
1778AL	19 3/16 x 43 3/16 x 91/2	Surface	**1,445**	**1,625**	**1,958**	**1,519**	**1,625**	**2,616**	**1,958**	**2,616**	**1,445**	38
Stainless Steel (Steel Tub)												
1750SS	20 x 27 x 7 3/4	Recessed	**1,481**	**1,516**	**1,973**	**1,514**	**1,550**	POA	**1,973**	POA	**1,481**	36
1751SS	20 x 27 x 7 3/4	Semi-Recessed	**1,578**	**1,613**	**2,075**	**1,613**	**1,649**	POA	**2,075**	POA	**1,578**	36
1752SS	20 x 27 x 7 3/4	Semi-Recessed	**1,585**	**1,621**	**2,077**	**1,623**	**1,658**	POA	**2,077**	POA	**1,585**	37
1758SS	23 3/16 x 30 3/16 x 8 1/4	Surface	**1,935**	**1,971**	**2,434**	**1,973**	**2,008**	POA	**2,434**	POA	**1,935**	39
1770SS	16 x 40 x 9	Recessed	**1,831**	**2,004**	**2,321**	**1,902**	**2,004**	**2,995**	**2,321**	**2,995**	**1,831**	35
1771SS	16 x 40 x 9	Semi-Recessed	**1,921**	**2,089**	**2,408**	**1,992**	**2,089**	**3,087**	**2,408**	**3,087**	**1,921**	35
1772SS	16 x 40 x 9	Semi-Recessed	**2,020**	**2,188**	**2,507**	**2,086**	**2,188**	**3,184**	**2,507**	**3,184**	**2,020**	37
1776SS	16 x 40 x 9	Trimless	POA	POA	POA	POA	POA	POA	POA	POA	POA	34
1778SS	19 3/16 x 43 3/16 x 91/2	Surface	**3,009**	**3,182**	**3,499**	**3,075**	**3,182**	**4,175**	**3,499**	**4,175**	**3,009**	38

Notes: **Cabinet Installations including a 2.5" Valve, Reducer, & 1.5" Cap require a 10" Depth**

5600 Series Valve requires 10" Depth (12" Depth with Reducer & 1.5" Cap)

FR - ADD FOR FIRE-RATED TUB ON RECESSED, SEMI-RECESSED, AND TRIMLESS STYLE CABINETS: **524 List**

Catalog Page 2-19

Decals			Die Cut		
Fig. No.	Lettering	Price	Fig. No.	Lettering	Price
1801	"FIRE HOSE" 4" x 9" Horizontal Black & Red	65	1816	"Fire Extinguisher" 3/4" x 18" Vertical - Red	20
1803	4 x 8-3/4 HORIZONTAL, BLACK, & RED "FIRE HOSE"	POA	1817	"Fire Extinguisher" 3/4" x 18" Vertical - White	20
1804	"FIRE HOSE" Vertical - Red	POA	1818	"Fire Extinguisher" 3/4" x 18" Vertical - Black	20
1805	"FIRE HOSE" - White	POA	1819	"Fire Extinguisher" 2 1/4" x 7 3/4" Horizontal - Red	20
1806	"FIRE HOSE" Vertical - Black	POA	1820	"Fire Extinguisher" 2 1/4" x 7 3/4" Horizontal - White	20
1807	"FIRE EXTINGUISHER" 7 1/8" x 2 1/4" Horizontal Red & White	13	1821	"Fire Extinguisher" 2 1/4" x 7 3/4" Horizontal - Black	20
1808	"FIRE EXTINGUISHER" 7 1/8" x 2 1/4" Horizontal Black & White	13	1822	"FIRE DEPT VALVE" 3/4" x 17" Vertical - Red	80
1809	"FIRE EXTINGUISHER" 2" X 19" Vertical Red/Clear	13	1823	"FIRE DEPT VALVE" 3/4" x 17" Vertical - White	POA
1810	"FIRE EXTINGUISHER" 2" X 19" Vertical Black/Clear	13	1824	"FIRE DEPT VALVE" 3/4" x 17" Vertical - Black	80
1811	4.5 X 12 HORIZONTAL "FIRE HOSE" & "FIRE EXTINGUISHER" /RED & WHITE	POA	1825	"FIRE DEPT. VALVE" 10 1/4" x 4 3/8" Horizontal - Red	67
			1826	"FIRE DEPT. VALVE" 10 1/4" x 4 3/8" Horizontal - White	POA
1812	5 X 9 HORIZONTAL "FIRE HOSE" & "FIRE EXTINGUISHER" / BLACK &WHITE	POA	1827	"FIRE DEPT. VALVE" 10 1/4" x 4 3/8" Horizontal - Black	67
			1828	"FIRE HOSE" 3/4" Vertical - Red	43
1813	1-1/8" H x 10" W Horz.Decal "FIRE DEPT. VALVE" ¾" Red Lettering	24	1829	"FIRE HOSE" 3/4" Vertical - White	POA
1813-OCTA	6" x 6" - Octagonal, red, black & white, FIRE DEPARTMENT VALVE	24	1830	"FIRE HOSE" 3/4" Vertical - Black	POA
1814	VERT- "FIRE DEPT VALVE"	POA	1831	"FIRE HOSE" 3/4" Horizontal - Red	102
1815	2 1/4" x 4" Horizontal - Black & Red "In Case of Fire - Break Glass"	POA	1832	"FIRE HOSE" 3/4" Horizontal - White	102
			1833	"FIRE HOSE" 3/4" Horizontal - Black	102

Cabinet Options & Accessories

Catalog Page 2-20

Fig. No.	Description	Price
1834	Pull Handle (Only)	19
1834-SET	Pull Handle Set	44
1835	Chrome Lever Handle with Cam Action	104
1836	CYLINDER LOCK (BK-LOK)	62
1837	Trip Lock	POA
1838	ADAC Flush Pull Handle	57
1839	Cabinet Alarm	104
1840	Futura Fire Handle	67
1841	Weather Proofing Package	POA
1842	Break Glass Hammer	24
1843	Fire Extinguisher Theft Stopper	182
1844	Fire Extinguisher Mini Theft Stopper	POA


Fig. No.	Description	Price
FF	16 Gauge tub, 12 Gauge door and trim	POA
FR	Fire-Rated Tub	As Noted

*** Special Finish Paint (Red)**

Recessed-Semi-Rec.	71
Surface Mounted	71













WMT SERIES - ALL PURPOSE PANELS



Catalog Page 2-23

Figure Number	Box Dimensions	Price	Weight
WMT1850	6 x 6	**99**	4
WMT1851	8 x 8	**99**	4
WMT1852	8 x 12	**125**	6
WMT1853	10 x 10	**125**	6
WMT1854	12 x 12	**120**	7
WMT1855	12 x 16	**158**	9
WMT1856	12 x 18	**174**	10
WMT1857*	12 x 24	**190**	12
WMT1858	14 x 14	**144**	9
WMT1859	16 x 16	**153**	11
WMT1860	16 x 20	**191**	13
WMT1861	18 x 18	**173**	12
WMT1862*	20 x 24	**244**	15
WMT1863*	20 x 30	**312**	20
WMT1864*	22 x 30	**294**	22
WMT1865*	24 x 24	**251**	18
WMT1866*	24 x 30	**312**	22
WMT1867*	24 x 36	**348**	25
WMT1868*	30 x 30	**445**	30
WMT1869*	36 x 36	**574**	41

OPTIONS:	"SS" Suffix - Stainless Steel	POA
	Special Paint	POA
	Cylinder Lock with Key	**50**
	Surface Mounted	POA

FRP SERIES - FIRE-RATED PANELS



Catalog Page 2-24

Figure Number	Box Dimensions	Price	Weight
FRP1851	8 x 8	**388**	6
FRP1853	10 x 10	**410**	8
FRP1854	12 x 12	**417**	10
FRP1858	14 x 14	**513**	12
FRP1859	16 x 16	**536**	15
FRP1861	18 x 18	**552**	17
FRP1863*	20 x 30	**913**	25
FRP1864*	22 x 30	**940**	29
FRP1865*	24 x 24	**708**	27
FRP1867*	24 x 36	**990**	37
FRP1868*	30 x 30	**989**	38
FRP1869*	36 x 36	**1,155**	52
FRP1870*	22 x 36	**959**	37
FRP1871*	24 x 48	**1,089**	54
FRP1872*	32 x 32	**1,033**	43
FRP1873*	36 x 48	**1,490**	61

OPTIONS:	"SS" Stainless Steel	POA
	"HG" 14 Gauge Steel	POA
	"WB" Dry Wall Bead	POA
	Mortise Prep	**168**

DW SERIES - DRY WALL PANELS



Catalog Page 2-25

Figure Number	Box Dimensions	Price	Weight
DW1851	8 x 8	**144**	4
DW1853	10 x 10	**157**	5
DW1854	12 x 12	**164**	7
DW1858	14 x 14	**180**	8
DW1861	18 x 18	**231**	12
DW1864*	22 x 30	**360**	19
DW1865*	24 x 24	**326**	19
DW1874	22 x 22	**287**	16

OPTIONS:	"CFR" Fire resistant ceiling panel	POA
	"E" 3" Wide Expansion wings	POA

PS SERIES - CEILING PANELS



Catalog Page 2-25

Figure Number	Box Dimensions	Price	Weight
PS1854	12 x12	**180**	10
PS1859	16 x 16	**219**	12
PS1860	16 x 20	**255**	12
PS1861	18 x 18	**237**	12
PS1865*	24 x 24	**338**	19

NOTE:

* Single orders of panels 24"x24" or larger shipped UPS require additional packaging @ **67** /panel

Minimum Order : **281** **List**

TC SERIES - RECESSED CEILING PANELS



Catalog Page 2-26

Figure Number	Box Dimensions	Price	Weight (Lbs.)
TC1854	12 x 12	**201**	7
TC1857*	12 x 24	**319**	11
TC1861	18 x 18	**297**	12
TC1864*	22 x 30	**398**	18
TC1865*	24 x 24	**393**	17
TC1867*	24 x 36	**534**	27

Options	Price
CFR- Fire Resistive Panel:	POA

PC SERIES - RECESSED CEILING PANELS



Catalog Page 2-26

Figure Number	Box Dimensions	Price	Weight (Lbs.)
PC1854	12 x 12	POA	9
PC1857	12 x 24	POA	13
PC1861	18 x 18	POA	14
PC1864*	22 x 30	POA	21
PC1865*	24 x 24	POA	20
PC1867*	24 x 36	POA	31

* Single orders of panels 24"x24" or larger shipped UPS require additional packaging @ **65** /panel

HOSE, VALVE, & EXT. SECURITY CABINETS





Catalog Page 2-28

Figure Number	Box Dimensions	Price	Weight (Lbs.)
1900	10 1/2 x 24 x 6 1/2	POA	25
1902	10 1/2 x 24 x 6 1/2	POA	26
1908	13 x 26 1/2 x 8	POA	26
1910	12 x 27 x 8 1/2	POA	33
1912	12 x 27 x 8 1/2	POA	34
1918	14 1/2 x 29 1/2 x 10	POA	34
1920	18 x 18 x 8 1/2	POA	32
1922	18 x 18 x 8 1/2	POA	33
1928	20 1/2 x 20 1/2 x 10	POA	33
1930	32 3/4 x 34 3/4 x 8	POA	88
1932	32 3/4 x 34 3/4 x 8	POA	95
1938	36 3/4 x 38 3/4 x 8	POA	104

Options	Price
Recessed Flush Cup	POA
Red Epoxy Finish	POA
FR- Fire-Rated Door with Glass	POA
Duo Panel, with Clear 1/2" Acrylic Glazing	POA
SS-Stainless Steel Door	POA

SECURITY ACCESS PANELS



CPS Series



HDSP Series

Catalog Page 2-29

Figure Number	Box Dimensions	Price	Weight (Lbs.) CPS	HDSP
1939	8 x 8	POA	16	17
1940	10 x 10	POA	20	22
1941	12 x 12	POA	24	26
1942	14 x 14	POA	29	32
1943	16 x 16	POA	32	37
1944	18 x 18	POA	38	43
1945	24 x 24	POA	52	64
1946	24 x 36	POA	72	87
1947	24 x 48	POA	90	110

Options	Price
SAP-SS Stainless Steel Finish	POA
HGFD Extra Heavy Duty 14 Gauge Door & Frame	POA
LOCK OPTIONS:	
Mortise Prep Lock	POA
DDL Detection Deadlock	POA
DDL Factory Installed	POA
DDL-1 Has Slam Latch	POA
DDI-2 Steel Case with Bronze Cylinder	POA

Marina Cabinets





Catalog Page 2-30

Figure No.	Type	Finish	Price	Weight (Lbs.)
1950	Fire Hose Cabinet	Aluminum	**4,200**	65
1952	Fire Ext. Cabinet	Fiberglass	**1,594**	35
1954	Fire Ext. Cabinet	Fiberglass	**1,477**	25
1956*	Fire Hose Cabinet	Fiberglass	**2,150**	15
* Add for Stand Mount on 1956 FHC			**853**	

NEW YORK CITY LOBBY & KEY STORAGE CABINETS

2008 NEW YORK CITY BUILDING CODE

Fig. No.	Style	Inside Box Dimensions		Price
2190 LSC	Recessed	24 x 38 3/4 x 8		**1,041**
2198 LSC	Surface	27 3/16 x 41 15/16 x 8 1/2		**1,096**
2920-UNIT	Recessed	5 1/4 x 5 1/4 x 2 1/2		**523**
2928-UNIT	Surface	5 1/2 x 5 1/2 x 2 1/2		**523**
LSC-EQ	Contents for 2190 LSC/2198 LSC			**2,302**
	Qty	Fig. No.	Description	
	375'	3401	1 1/2" Lined hose (7-50', 1-25' lengths)	
	8	3440	1 1/2" Cast Brass Couplings-NYFD	
	3	3486	1 1/2" X 15 X 5/8" Cast Iron Nozzles	
	2	7245	2 1/2" X 1 1/2" Cast Brass Reducers	
	2	7107	1 1/2" Common Spanner Wrench	
	2	7109	2 1/2" Common Spanner Wrench	




Figure No. 2190 with LSC-EQ



Figure No. 2920




Figure No. 2928


Catalog Page 2-31

2014 NEW YORK CITY BUILDING CODE

Fig. No.	Style	Inside Box Dimensions		Price
2100E-LSC	Recessed	18 x 18 x 8		**1,457**
2108E-LSC	Surface	21 3/16 x 21 3/16 x 8 1/2		**1,744**
2120E-LSC	Recessed	26 x 26 x 10		**2,466**
2128E-LSC	Surface	29 3/16 x 29 3/16 x 10 1/2		**2,709**
2120-EQ	Contents for 2120E-LSC/2128E-LSC			**842**
2100-EQ	Contents for 2100E-LSC/2108E-LSC (Excludes 3401/3440)			**206**
	Qty	Fig. No.	Description	
	125'	3401	1 1/2" Lined hose (2-50', 1-25' lengths)	
	3	3440	1 1/2" Cast Brass Couplings-NYFD	
	1	3478	1 1/2" Red Plastic Fog Nozzle -NYFD	
	1	7245	2 1/2" X 1 1/2" Cast Brass Reducers	
	1	7107	1 1/2" Common Spanner Wrench	
	1	7109	2 1/2" Common Spanner Wrench	



2100E/2120E



2108E/2128E

Note: Where two or more standpipe risers are installed in the building, at least two of each of the items of equipment shall be provided. The hose may be omitted when serving Group R-2 occupancies. Use 2100E/2108E cabinets when the hose is omitted.

SPRINKLER CONTROL CABINETS (SOLID DOOR) w/ Lettering



Catalog Page 2-32

Figure No.	Style	Inside Box Dimensions	Steel	Aluminum	Stainless Steel
2940E	Recessed	26 x 26 x 10	**866**	**1,453**	**2,226**
2948E	*Surface	29 3/1 6x 29 3/16 x 10	**981**	**2,353**	**3,355**
2950E	Recessed	32 3/4 x 38 3/4 x 10	**1,476**	**2,669**	**3,221**
2958E	*Surface	35 15/16 x 41 15/16 x 10	**1,683**	**2,938**	**4,368**
2960E	Recessed	32 3/4 x 44 3/4 x 10	**1,683**	**2,988**	**3,454**
2968E	*Surface	34 1/8 x 48 1/8 x 10	**1,860**	**3,534**	**5,143**

NOTE: If 12" Depth required POA

*Tub material to match door & frame for Aluminum or Stainless Steel

FR - ADD FOR FIRE-RATED TUB ON RECESSED AND SEMI-RECESSED STYLE CABINETS: **615**

1.5" x 1.5" Assembly



Catalog Page 3-2

Figure Number	Hose Length	Price NST	Price NYFD	Approx Weight
3005	50'	**746**	**724**	15
3007	75'	**827**	**892**	19
3010	100'	**907**	**972**	23
-----	-----	-----	-----	-----
3105	50'	**1,027**	-----	15
3107	75'	**1,108**	-----	19
3110	100'	**1,188**	-----	23
-----	-----	-----	-----	-----

2.5" x 1.5" Assembly



Catalog Page 3-3

Figure Number	Hose Length	Price NST	Price NYFD	Approx Weight
3205	50'	**1,001**	**984**	23
3207	75'	**1,081**	**1,152**	27
3210	100'	**1,161**	**1,232**	31
3212	125'	**1,427**	**1,400**	39
3305	50'	**1,349**	**1,297**	23
3307	75'	**1,430**	**1,539**	27
3310	100'	**1,510**	**1,620**	31
3312	125'	**2,001**	**1,862**	39

2.5" x 2.5" Assembly



Catalog Page 3-4

Figure Number	Hose Length	Price NST	Price NYFD	Approx Weight
3315	50'	**1,536**	**1,282**	42
3317	75'	**1,702**	**1,667**	53
3320	100'	**1,868**	**1,832**	59
3325	125'	**2,426**	**2,217**	67
-----	-----	-----	-----	-----
-----	-----	-----	-----	-----
-----	-----	-----	-----	-----
-----	-----	-----	-----	-----

NOTE: NYFD RACK ASSEMBLIES COME STANDARD WITH STRAIGHT 3486 (1.5") or 3487 (2.5") NOZZLES - Max 50' Lengths

Optional Equipment for Hose Rack Assemblies

Catalog Page 3-5

Suffix	Fig. No.			Per FT	50'	75'	100'
		HOSE					
-10	**3401**	SINGLE JACKET LINED HOSE_FM/U/L	ADD:	**1.10**	**55**	**83**	**110**
-12	**3405**	SINGLE JACKET RUBBER LINED HOSE_FM	ADD:	**1.75**	**88**	**131**	**175**
-13	**3405**	SINGLE JACKET RUBBER LINED HOSE_FM/U/L	ADD:	**2.85**	**143**	**214**	**285**
-15	**3410**	SINGLE JACKET RUBBER LINED HOSE_FM	ADD:	**1.75**	**88**	**131**	**175**
-16	**3410**	SINGLE JACKET RUBBER LINED HOSE_FM/U/L	ADD:	**2.85**	**143**	**214**	**285**
		COUPLINGS			**1.5"**	**2.5"**	
-20	**3441**	ROCKER LUG COUPLINGS (NST) (ADD IS PER SET)	ADD:		**50**	-------	
-22	**3450**	EXTRUDED ALUMINUM COUPLINGS (NST)	ADD:		POA	-------	
-27		EXTRA SET OF COUPLINGS FOR NYC	ADD:		**86**	**215**	
		NOZZLES					
-30	**3478**	RED POLYCARBONATE FOG NOZZLE	DEDUCT:		**63**		
-31	**3463**	BRASS FOG NOZZLE W/BUMPER	ADD:		**0**		
-32	**3467**	RED POLYCARBONATE ALL FOG NOZZLE	DEDUCT:		**70**		
-33	**3470**	BRASS ALL-FOG NOZZLE	ADD:		**412**		
-35	**3473**	BRASS POWER FOG NOZZLE	ADD:		DISCONTINUED		
-36	**3485**	RED POLYCARBONATE STRAIGHT NOZZLE	DEDUCT:		**79**		
-37	**3480**	BRASS STRAIGHT NOZZLE	ADD:		**34**		
		PRESSURE RESTRICTING/REGULATING		**CB**	**PB**	**RC**	**PC**
-51	**5370**	1.5 BRS ADJ. PRESS. REST. VLV	ADD:	**840**	**889**	**898**	**938**
-52	**5375**	2.5 BRS ADJ. PRESS. REST. VLV	ADD:	**953**	**1,020**	**1,020**	**1,088**
-53	**5068**	1.5 BRASS ADJ. PRESS. RESTRICTING ANGLE VALVE	ADD:		**88**		
-54	**5070**	2.5 BRASS ADJ. PRESS. RESTRICTING ANGLE VALVE	ADD:		**257**		
-55	**5550**	1.5 BRASS PRESS. REGULATING ANGLE VALVE	ADD:	**1,097**	**1,116**	**1,116**	**1,134**
-56	**5570**	2.5 BRASS PRESS. REGULATING ANGLE VALVE	ADD:		**1,385**		
		MISCELLANEOUS					
-59	**5385**	1.5 BRS AUTO. DRN VENT DVC	ADD:	**358**	**413**	**407**	**456**
-91		PIPE CLAMP MOUNTING-VALVE CHANGED TO MALE OUTLET	ADD:	**(4")**	**135**	**(6")**	**138**
-92		WALL BRACKET MOUNTING-VALVE CHANGE TO MALE OUTLET	ADD:		**122**		
-95		CHROME PLATED STEEL RACK	ADD:		POA		
-97		POLISHED BRASS VALVE-FITTINGS FURN. POLISHED TO MATCH	ADD:	**(1 1/2")**	**165**	**(2 1/2")**	**220**

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

HOSE PIN RACKS



Catalog Page 3-6

Figure No.	Capacity (Rack Hose)	Red En.	Chrome	Wt.
3352	1.5" Valve x 1.5" Hose x 125'	181	220	5
3352L**	1.5" Valve x 1.5" Hose x 125'	181	220	5
3356	2.5" Valve x 1.5" Hose x 125'	181	220	5
3356L**	2.5" Valve x 1.5" Hose x 125'	181	220	5
3359*	2.5" Valve x 2.5" Hose x 125'	213	POA	5
-91 Pipe Clamp Mounting :	(4")	165	(6")	168
-92 Wall Bracket Mounting 1.5" (RED):		154		
-95 Chrome plated Add:		SEE ABOVE		

*Note: *Options are not available on 3359. **For use with 125' 3405/3406*

FIRE HOSE



Catalog Page 3-7

Figure		Per foot	----- Coupled -----				Wt.
No.	Size	Uncoupled	50'	75'	100'	125'	50'
SINGLE JACKET - 500 Lb (POLY LINED RACK HOSE)							
3401	1.5	3.34	245	329	412	653	7
3401-NYF	1.5	3.34	258	432	515	690	7
3401 U/L	1.5	4.51	304	416	529	798	7
3402	2.5	6.89	549	721	893	1,473	18
3402-NYF	2.5	6.89	572	972	1,144	1,543	18
3402 U/L	2.5	8.06	607	808	1,010	1,619	18
SINGLE JACKET - 300 Lb (EPDM LINED RACK HOSE)							
3405	1.5	5.19	338	657	787	POA	15
3406	2.5	9.06	657	1,170	1,389	POA	27
SINGLE JACKET - 500 Lb. (EPDM LINED RACK HOSE)							
3410	1.5	5.19	338	657	787	POA	15
3411	2.5	9.06	657	1,170	1,389	POA	27
SINGLE JACKET - 300 Lb. (EPDM LINED INDUSTRIAL HOSE)							
3415	1.5	5.19	338	657	787	POA	15
3416	2.5	9.06	657	1,170	1,389	POA	27
DOUBLE JACKET - 600 Lb. (ALUM. CPLGS)							
3420	1.5	POA	469	637	805	POA	23
3421	2.5	POA	761	1,033	1,306	POA	41
SINGLE JACKET - 600 Lb. (ALUM. CPLGS)							
3425	1.5	POA	396	529	662	POA	17
3426	2.5	POA	686	923	1,159	POA	29
DOUBLE JACKET - 800 Lb. (ALUM. CPLGS)							
3430	1.5	6.75	460	698	877	POA	23
3431	2.5	10.65	736	1,068	1,344	POA	41
SYNTHETIC RUBBER COVERED - 500 Lb. (ALUM. CPLGS)							
3434	1.5	POA	665	918	1,172	POA	23
3435	2.5	POA	965	1,334	1,702	POA	40

HOSE OPTIONS	1.5"	2.5"
U/L LABEL OPTION ADD PER FOOT	1.17	1.17
COLOR IMPREGNATION - ADD PER FOOT	POA	POA

HOSE RACK MOUNTING NIPPLE



Catalog Page 3-6

Figure No.	Size	CB	PB	RC	PC	Wt.
3365	1.5	47	86	86	125	1
3365-NYFD	1.5	69	108	108	147	1
3366	2.5	118	157	157	195	2
3366-NYC	2.5	123	162	162	201	2
3366SPE	2.5	POA	POA	POA	POA	2
3370-NYC	2.5	247	286	286	325	2

COUPLINGS



Catalog Page 3-9

Figure	Lug	Size	CB	PB	RC	PC	Wt.
LIGHTWEIGHT BRASS							
3440	Pin	1.5	78	117	117	156	1
3440-NYF	Pin	1.5	91	130	130	169	1
3441	RKR	1.5	131	170	170	209	1
3442	Pin	2.5	204	243	243	282	3
3442-NYF	Pin	2.5	227	266	266	305	3
3443	RKR	2.5	507	546	546	585	3
SINGLE JACKET-BRASS							
3444	Pin	1.5	86	125	125	163	1
3445	RKR	1.5	131	170	170	209	1
3446	Pin	2.5	159	198	198	237	3
3446-NYF	Pin	2.5	182	220	220	259	3
3447	RKR	2.5	507	546	546	585	3
DOUBLE JACKET-BRASS							
3448	Pin	1.5	100	139	139	178	1
3449	Pin	2.5	237	276	276	315	1

SINGLE AND DOUBLE JACKET-ALUMINUM (ROCKER LUG)



Catalog Page 3-9

Figure No.	Size	Jacket	Price	Wt.
3450	1.5	Single	97	1
3450-NYF	1.5	Single	127	1
3451	1.5	Double	102	1
3452	2.5	Single	171	2
3452-NYF	2.5	Single	196	2
3453	2.5	Double	171	2

NOTE: Prices are for NST and NPSH (NYF Where Noted). All other threads are POA.

BRASS FOG NOZZLES





Catalog Page 3-10

Fig. No.	Size	CB	PB	RC	PC	Wt.
3460	1.5	**110**	**149**	**149**	**188**	2
3460-NPSH	1.5	POA	POA	POA	POA	2
3460-NYC	1.5	**134**	**173**	**173**	**212**	2
3461	0.75	**451**	**490**	**490**	**529**	2
3462	1	**516**	**555**	**555**	**593**	2
3463	1.5	**110**	**149**	**149**	**187**	2
3464	2.5	**509**	**548**	**548**	**587**	3
3470	1.5	**547**	**586**	**586**	**625**	2
3471	2.5	**1,558**	N/A	**1,753**	N/A	3
3473	1.5	DISCONTINUED				3
3474	2.5	DISCONTINUED				4

RED POLYCARBONATE (PLASTIC) FOG NOZZLES



Catalog Page 3-10

Figure No.	Size	Price	Wt
3467	1.5	**36**	1/2
3477	1	**46**	1/2
3478-NST	1.5	**43**	1/2
3478-NPSH	1.5	**52**	1/2
3478-NYFD	1.5	**52**	1/2
3479 (No Handle)	2.5	**222**	1
3479 (With Handle)	2.5	**282**	1
3479 (Handle Only)	2.5	POA	1

BRASS - STRAIGHT STREAM TYPE



Catalog Page 3-11

Fig. No.	Size	CB	PB	RC	PC	Wt.
3480	1.5 x 10	**147**	**199**	**251**	**302**	2
3482	2.5 x 12	**378**	**430**	**482**	**534**	3

PLASTIC, CAST IRON, PLAYPIPE, BRASS SHUTOFF STRAIGHT STREAM TYPE



Fig. No. 3485



Fig. No. 3486



Fig. No. 3489



Fig No. 3490

Catalog Page 3-11

Fig No.	Type	Size	Price	Wt.
3485	Red Poly. (Plastic)	1.5 x 10	**26**	2
3486	Cast Iron (NYF Only)	1.5 x 15 x 1	**53**	3
3487	Cast Iron (NYF Only)	2.5 x 15 x 1	**85**	5
3489*	U/L Playpipe	2.5 x 30 x 1 1/8	**1,188**	9
3490	Brass Shutoff	DISCONTINUED		2
3491	Brass Shutoff	DISCONTINUED		3
*Note: Additional charge for 3489 with special orifice tip, available in 1 1/4", 1 1/2", and 1 3/4"			**212**	

VARIABLE GALLONAGE NOZZLES

Figure No.	Size	Type	GPM	Price	Wt.
3500	1.0	Selectable	10-20-25-40	**2,944**	5
3502	1.5	Selectable	10-20-25-40	**2,944**	5
3506	1.5	Selectable	95-125-150-200	**5,422**	10
3508	2.5	Selectable	100-150-200-250	**5,684**	12
3510	1.0	Constant	40	**2,536**	4
3512	1.5	Constant	95	**2,740**	5
3514	1.5	Constant	125	**2,740**	5
3516	1.5	Constant	150	**2,740**	5
3520	1.0	Automatic	10-40	**2,711**	4
3522	1.5	Automatic	40-150	**2,769**	5
3524	1.5	Automatic	60-300	**5,160**	7
TIPS	Flows Range From 10 GPM to 400 GPM, Colors Available			POA	---



Selectable Gallonage



Constant Gallonage



Catalog Page 3-12 Automatic Gallonage

NOTE: Prices are for NST (NPSH and NYF Where Noted). All other threads are POA.

PORTABLE EXTINGUISHERS



Catalog Pages 4-4 thru 4-8

Fig. No.	U/L Rating	Capacity	Price	Wt. (Lbs.)
ABC Dry Chemical				
4002	1A:10B:C	2 1/2 Lb.	**138**	5 1/2
4005	2A:10B:C	5 Lb.	**178**	9 1/2
4007	3A:40B:C	5 Lb.	**183**	9 1/2
4010	4A:80B:C	10 Lb.	**239**	18
4020	10A:120B:C	20 Lb.	**489**	34
Halotron 1				
4132	2B:C	2 1/2 Lb.	**603**	6
4135	5B:C	5 Lb.	**917**	10
4137	1A:10B:C	11 Lb.	**1,869**	23 1/2
4139	2A:10B:C	15 Lb.	**2,685**	27
Water/Water Mist				
4202	2A	2 1/2 Gal.	**489**	7 1/2
4206	2A:C	2 1/2 Gal.	**763**	8
Regular Dry Chemical (BC)				
4302	10B:C	2 1/2 Lb.	**158**	6
4305	10B:C	5 Lb.	**230**	10
4310	60B:C	10 Lb.	**330**	18
4320	120B:C	20 Lb.	**554**	36 1/2
Carbon Dioxide (CO2)				
4405	5B:C	5 Lb.	**571**	14
4410	10B:C	10 Lb.	**867**	28
4415	10B:C	15 Lb.	**1,001**	37
4420	10B:C	20 Lb.	**1,218**	51
Class D Dry Powder				
4830	D	30 Lb.	**2,365**	57
4832	D	30 Lb.	**3,626**	57
Wet Chemical				
4834	2A:K	6 Liter	**775**	23

BRACKETS

Fig. No.	Type	Use With	Price	Wt. (Lbs.)
4835	Vehicle	4005, 4007	**58**	1/2
4836	Vehicle	4010	**99**	1 1/2
4837	Wall	4010	POA	TBA

AUTOMATIC SPOT PROTECTION



Catalog Page 4-6

Fig. No.	U/L Rating	Capacity	Price	Wt. (Lbs.)
ABC Dry Chemical				
4422V	N/A	2 1/2 Lb.	**878**	4
4422H	N/A	2 1/2 Lb.	**1,106**	4
4425V	N/A	5 Lb.	**1,249**	11
4425H	N/A	5 Lb.	**1,487**	11
4430V	N/A	10 Lb.	**1,670**	19
4430H	N/A	10 Lb.	**2,108**	19
4440V	N/A	20 Lb.	**2,223**	36
4440H	N/A	20 Lb.	**2,724**	36
Halotron 1				
4450V	N/A	18 Lb.	**4,448**	29
4450H	N/A	18 Lb.	**5,176**	29
4460V	N/A	25 Lb.	**5,860**	42
4460H	N/A	25 Lb.	**6,147**	42

WHEELED EXTINGUISHERS



Catalog Page 4-7

Fig. No.	U/L Rating	Capacity	Price	Wt. (Lbs.)
ABC Dry Chemical				
4510	20A:160B:C	50 Lb.	**7,160**	161 1/2
4520	30A:240B:C	125 Lb.	**12,732**	364
Carbon Dioxide (CO2)				
4530	20B:C	50 Lb.	**9,972**	285
4535	20B:C	100 lb.	**14,742**	461
Regular Dry Chemical (BC)				
4570	240B:C	150 Lb.	**13,172**	380
Halotron 1				
4580	4A:80B:C	65 Lb.	**24,582**	284
4590	10A:120B:C	150 Lb.	**37,593**	519

ANGLE VALVES




Catalog Page 5-3

Figure No.	Size	Type	CB	PB	RC	PC	Wt.
5010	1.5	F x M	649	704	704	759	4
5015NST	2.5	F x M	780	853	866	927	9
5015SPEC	2.5	F x M	POA	POA	POA	POA	12
5020	1.5	F x F	649	704	704	759	4
5025	2.5	F x F	1,024	1,097	1,110	1,171	9
5030	1.5	F x M	162	217	217	272	4
5030NPSH	1.5	F x M	191	246	246	301	4
5035	2.5	F x M	286	360	372	433	9
5035-GR	2.5	G x M	315	388	401	462	11
5035NYC	2.5	F x M	293	367	379	440	9
5035NYC-GR	2.5	G x M	363	436	449	510	11
5035SPEC	2.5	F x M	POA	POA	POA	POA	9
5035SF	2.5 x 3	F x M	362	435	447	509	11
5040	1.5	F x F	168	223	223	278	4
5045	2.5	F x F	298	371	383	445	9
5045-GR	2.5	G x F	363	436	449	510	9

GLOBE VALVES




Catalog Page 5-6

Figure No.	Size	Type	CB	PB	RC	PC	Wt.
5210	1.5	F x M	785	871	871	956	6
5215NST	2.5	F x M	663	749	749	835	12
5215SF	2.5 x 3	F x M	760	846	846	932	12
5215SPEC	2.5	F x M	POA	POA	POA	POA	12
5220	1.5	F x F	941	1,026	1,026	1,112	6
5225	2.5	F x F	663	749	749	835	12

WHARF HYDRANT VALVES (Includes Cap & Chain)



Catalog Page 5-6

Figure No.	Size	Cast	Wt.
5235	2.5 x 2.5	531	21
5240	3 x 2.5	2,300	25
5245	4 x 2.5	2,600	25

PRESSURE RESTRICTING ANGLE VALVES




Catalog Page 5-4

Figure No.	Size	Type	CB	PB	RC	PC	Wt.
5050	1.5	F x M	1,314	1,369	1,369	1,424	6
5055	2.5	F x M	1,853	1,927	1,939	2,000	12
5060	1.5	F x F	1,331	1,386	1,386	1,442	6
5062	2.5	F x F	1,818	1,891	1,903	1,965	12
5064	1.5	F x M	256	311	311	366	6
5064NPSH	1.5	F x M	298	354	354	409	12
5066	2.5	F x M	465	539	551	612	12
5066-GR	2.5	G x M	529	602	615	676	14
5066NYC	2.5	F x M	484	557	569	631	12
5068	1.5	F x F	256	311	311	366	6
5070	2.5	F x F	554	628	640	701	12

DOUBLE HYDRANT GATE VALVES



Catalog Page 5-6

Figure No.	Size	CB	PB	RC	PC	Wt.
5250	4 x 2.5 x 2.5	1,182	1,467	1,495	1,777	45
5260	6 x 2.5 x 2.5	1,796	2,097	2,109	2,406	49

CHICAGO PATTERN VALVE/SPRINKLER HOSE VALVE




Catalog Page 5-7

Figure No.	Size	Cast	Wt.
5275	1.5	770	6
5290	1 x 1.5	783	3

HOSE GATE VALVES




Catalog Pages 5-5 thru 5-6

Figure No.	Size	Type	CB	PB	RC	PC	Wt.
5110	1.5	F x M	579	665	665	750	6
5115	2.5	F x M	1,967	2,053	2,053	2,139	20
5120	3 x 2.5	F x M	2,076	2,162	2,162	2,247	21
5130	2.5	F x M	1,583	1,669	1,669	1,755	21
5135NST	2.5	F x M	412	485	485	559	8
5135NYC	2.5	F x M	695	768	768	842	8
5140NST	3 x 2.5	F x M	469	549	555	628	10
5140NYC	3 x 2.5	F x M	597	677	683	756	10
5150NST	2.5	F x M	640	713	713	787	20
5155	2.5	F x M	777	851	851	924	20

BALL VALVES



Catalog Page 5-7

Figure No.	Size	Cast	Wt.
5305	1/4	23	1/2
5310	3/8	29	1/2
5315	1/2	31	1/2
5320	3/4	44	1
5325	1	58	2
5330	1 1/4	102	2
5335	1 1/2	128	2
5340	2	172	3 1/2
5345	2 1/2	539	7
5350	3	747	9 1/2
5355	4	1,584	9 1/2

Prices are for NST or as noted. "Special" threads are listed on Page 45. Any thread other than NST is POA.

PRESSURE RESTRICTING DEVICE



Catalog Page 5-7

Fig. No.	Size	CB	PB	RC	PC	Wt.
5370	1.5	840	889	898	938	3
5375	2.5	953	1,020	1,020	1,088	4

AUTOMATIC DRAIN VALVE (HYDROLATOR)



Catalog Page 5-7

Fig. No.	Size	CB	PB	RC	PC	Wt.
5385	1.5	358	413	407	456	3

PRESSUR-EZE PRV (FIELD ADJUSTABLE)



Catalog Page 5-9

Fig. No.	Size	Type		CB	PB	RC	PC	Wt.
5410	2.5	Angle	F X M	1,976	2,239	2,221	2,466	28 1/2
5420	2.5	Angle	F X F	1,976	2,239	2,221	2,466	28 1/2
5427	2.5	Angle	G X G	2,104	2,367	2,349	2,594	30 1/2
5428	2.5	Angle	F X F	2,240	2,510	2,485	2,730	28 1/2
5430	2.5	Inline	F X F	1,976	2,245	2,221	2,466	34 1/2
5437	2.5	Inline	G X G	2,104	2,373	2,349	2,594	37 1/2
5438	2.5	Inline	F X F	2,240	2,485	2,485	2,730	34 1/2
SS	5400-SWITCH Supervisory Switch						458	
5649E	STEM CAP-LOCKING DEVICE						264	

PRESSURE REDUCING VALVE (NON-ADJUSTABLE)



Catalog Page 5-10

Fig. No.	Size	Type		CB	PB	RC	PC	Wt.
5450	1.5	Angle	F X F	1,824	1,898	1,898	1,971	7 1/2
5455	1.5	Angle	F X F	1,945	2,018	2,018	2,092	7 1/2
5460	1.5	Angle	F X M	1,824	1,898	1,898	1,971	7 1/2
5470	2.5	Angle	F X F	2,134	2,281	2,281	2,428	18 1/2
5475	2.5	Angle	F X F	2,255	2,402	2,402	2,549	21
5477	2.5	Angle	G X G	2,383	2,530	2,530	2,677	22
5480	2.5	Angle	F X M	2,134	2,281	2,281	2,428	18 1/2
5490	2.5	Inline	F X F	2,134	2,281	2,281	2,428	26 1/2
5495	2.5	Inline	F X F	2,255	2,402	2,402	2,549	28
5497	2.5	Inline	G X G	2,383	2,530	2,530	2,677	31
5648	Brkt			121				1

PRESSURE REDUCING VALVE (NON-ADJUSTABLE)



Catalog Page 5-12

Fig. No.	Size	Type		CB	PB	RC	PC	Wt.
5550	1.5	Angle	F x F	1,265	1,339	1,339	1,412	9
5555	1.5	Angle	F x F	1,303	1,377	1,377	1,450	11
5560	1.5	Angle	F x M	1,265	1,339	1,339	1,412	9
5570	2.5	Angle	F x F	1,682	1,823	1,854	1,995	19
5575	2.5	Angle	F x F	1,720	1,861	1,892	2,033	21
5577	2.5	Angle	G X G	2,086	2,226	2,257	2,398	19
5579	2.5	Angle	G x M	1,746	1,887	1,918	2,059	19
5580	2.5	Angle	F x M	1,682	1,823	1,854	1,995	19
5590	2.5	Inline	F x F	1,627	1,768	1,799	1,939	23
5595	2.5	Inline	F x F	1,665	1,806	1,837	1,977	23
5597	2.5	Inline	G X G	2,086	2,226	2,257	2,398	24
5500SB	Tamper Switch Bracket						36	
5502TS	Built-In Tamper Switch (Specify 1.5" or 2.5")						610	

PRESSUR-MASTER PRV (FIELD ADJUSTABLE)



Catalog Page 5-17

Fig. No.	Size	Type		CB	PB	RC	PC	Wt.
5610	2.5	Angle	F x M	2,083	2,340	2,377	2,634	35
5610SF	2.5 x 3	Angle	F x M	2,147	2,404	2,441	2,698	36
5620	2.5	Angle	F x F	2,083	2,340	2,377	2,634	35
5625	2.5	Angle	F x F	2,100	2,357	2,394	2,651	35
5627	2.5	Angle	G X G	2,228	2,485	2,522	2,779	35
5630	2.5	Inline	F x F	2,083	2,340	2,377	2,634	34
5635	2.5	Inline	F x F	2,100	2,357	2,394	2,651	34
5637	2.5	Inline	G X G	2,228	2,485	2,522	2,779	34
5640	2.5	Inline	F x M	2,160	2,418	2,454	2,711	34
5647	Bracket only				17			1/4
5649	Stem Locking Device				40			1/4

PRESSURE RELIEF VALVE



Catalog Page 5-18

Fig. No.	Size	Price	Wt.
5660	3/4	102	1/4
5661	1/2	97	1/4

THREE WAY GAUGE VALVE



Catalog Page 5-18

Fig. No.	Size	Price	Wt.
5662	1/4	19	1/4

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

ANGLE VALVES - RISING STEM



Catalog Page 5-14

Figure No.	Size	Price	Wt.
5663	1/4	**59**	4/9
5664	3/8	**82**	5/9
5665	1/2	**82**	5/9
5666	3/4	**93**	1
5667	1	**139**	1 3/4
5668	1 1/4	**226**	2 1/2
5669	1 1/2	**304**	3 1/4
5670	2	**368**	5 1/3

CAPS WITH CHAIN - BRASS



Catalog Page 5-14

Figure No.	Size	Lug Type	CB	PB	RC	PC	Wt.
5709	1.5	Pin	**20**	**45**	**45**	**69**	1
5709-SPEC	1.5	Pin	**27**	**52**	**52**	**76**	1
5713-NST	2.5	Pin	**40**	**57**	**57**	**76**	2
5713-SPEC	2.5	Pin	**57**	**82**	**82**	**106**	2
5715	3	Pin	**89**	**119**	**113**	**144**	2
5717	4	Pin	**492**	**535**	**523**	**554**	4
5710	1.5	Rocker	**60**	**85**	**85**	**109**	1
5714	2.5	Rocker	**80**	**105**	**105**	**129**	2
5716	3	Rocker	POA	POA	POA	POA	2
5718	4	Rocker	POA	POA	POA	POA	4

CAPS WITH CHAINS - ALUMINUM & PLASTIC





Catalog Page 5-14

Figure No.	Size	Material/Description	Price	Wt.
5713-CI-R	2.5	Cast Iron (Painted Red)	**23**	1
5720	2.5	Aluminum (Rough Brass Color)	**26**	1
5720-RED	2.5	Aluminum (Red)	**26**	1
5720-NYF	2.5	Aluminum (Unpainted)	**71**	1
5721	1.5	Plastic (Red)	**16**	1/2
5722	2.5	Plastic (Red)	**18**	1/2
5722-U	2.5	Plastic (Red) - Universal	**23**	1/2
5723	3	Plastic (Red)	**33**	1/2

VALVE ESCUTCHEONS



Catalog Page 5-14

Figure No.	Size	Finish	Price
5730	1.5	Stamped Steel Cadmium Plated	**3**
5735	2.5	Stamped Steel Cadmium Plated	**11**

Figure No.	Size	Cast	PB	RCP	PCP	Wt.
5750	2.5	DISCONTINUED				1/2
5755	2.5	DISCONTINUED				1/2

500 Lb. ANGLE VALVES



Catalog Page 5-15

Figure No.	Size	CB	PB	RC	PC	Wt.
5760G-NST	2.5	**1,156**	**1,229**	**1,242**	**1,303**	10
5760G-NYF	2.5	**1,079**	**1,152**	**1,164**	**1,226**	10
5765G	2.5	**1,079**	**1,152**	**1,164**	**1,226**	10
5760P-NST	2.5	**1,523**	**1,596**	**1,609**	**1,670**	10
5760P-NYF	2.5	**1,523**	**1,596**	**1,609**	**1,670**	10
5765P	2.5	**1,523**	**1,596**	**1,609**	**1,670**	10
ADD FOR GROOVED INLET "GR"				**64**		1

VALVE HANDLES & ACCESSORIES







Catalog Page 5-14

Figure No.	Valve Size	Description	Price	Wt.
5800	1.5	Silver	**38**	1/4
5802	2.5	Silver	**56**	1/4
5804	1.5	Red	**46**	1/4
5806	2.5	Red	**50**	1/4
5808	1.5	Silver	**54**	1/4
5810	2.5	Silver	**72**	1/4
5812	1.5	Red	POA	1/4
5814	2.5	Red	POA	1/4
5816	1.5	Replacement pins	**5**	1/4
5818	2.5	Replacement pins	**5**	1/4
5820	1.5	Replacement breakable link	POA	1/4
5822	2.5	Replacement breakable link	POA	1/4

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

PRESSURE REDUCING VALVE (NON-ADJUSTABLE)



5870



SS

Fig. No.	Size	Type		CB	PB	RC	PC	Wt.
5850	1.5	Angle	F X F	**825**	**898**	**898**	**972**	8
5857	1.5	Angle	G X G	**825**	**898**	**898**	**972**	9
5860	1.5	Angle	F X M	**825**	**898**	**898**	**972**	8
5870	2.5	Angle	F X F	**1,125**	**1,260**	**1,303**	**1,443**	19
5877	2.5	Angle	G X G	**1,125**	**1,260**	**1,303**	**1,443**	21
5879	2.5	Angle	G X M	**1,125**	**1,260**	**1,303**	**1,443**	20
5880	2.5	Angle	F X M	**1,125**	**1,260**	**1,303**	**1,443**	19
5890	2.5	Inline	F X F	**1,125**	**1,260**	**1,303**	**1,443**	21
5897	2.5	Inline	G X G	**1,125**	**1,260**	**1,303**	**1,443**	20
SS		Supervisory Switch					**300**	1

PRESSURE REDUCING VALVE (NON-ADJUSTABLE)



5980



5977-SS

Fig. No.	Size	Type		CB	PB	RC	PC	Wt.
5950	1.5	Angle	F X F	POA	POA	POA	POA	9
5950-SS	1.5	Angle	F X F	POA	POA	POA	POA	11
5957	1.5	Angle	G X G	POA	POA	POA	POA	9
5957-SS	1.5	Angle	G X G	POA	POA	POA	POA	11
5960	1.5	Angle	F X M	POA	POA	POA	POA	9
5960-GR	1.5	Angle	G X M	POA	POA	POA	POA	9
5970	2.5	Angle	F X F	POA	POA	POA	POA	20
5970-SS	2.5	Angle	F X F	POA	POA	POA	POA	21
5977	2.5	Angle	G X G	POA	POA	POA	POA	19
5977-SS	2.5	Angle	G X G	POA	POA	POA	POA	20
5979	2.5	Angle	G X M	POA	POA	POA	POA	18
5979IL	2.5	Inline	G X M	POA	POA	POA	POA	23
5980	2.5	Angle	F X M	POA	POA	POA	POA	19
5980IL	2.5	Inline	F X M	POA	POA	POA	POA	23
5990	2.5	Inline	F X F	POA	POA	POA	POA	24
5990-SS	2.5	Inline	F X F	POA	POA	POA	POA	25
5997	2.5	Inline	G X G	POA	POA	POA	POA	24
5997-SS	2.5	Inline	G X G	POA	POA	POA	POA	25
MSA		Monitor Switch Adapter					POA	--
CAP		Capped Bonnet					POA	--

PRESSURE REDUCING VALVE (FIELD ADJUSTABLE)



5905



5937



5910

Fig. No.	Size	Type		CB	PB	RC	PC	Wt.
5900	1.5	Angle	F X M	POA	POA	POA	POA	13
5905	1.5	Angle	F X F	POA	POA	POA	POA	14
5910	2.5	Angle	F X M	POA	POA	POA	POA	28
5910-GR	2.5	Angle	G X M	POA	POA	POA	POA	29
5915	2.5	Angle	F X F	POA	POA	POA	POA	28
5915IL	2.5	Inline	F X F	POA	POA	POA	POA	29
5920-SS	2.5	Angle	F X F	POA	POA	POA	POA	30
5927-SS	2.5	Angle	G X G	POA	POA	POA	POA	30
5930-SS	2.5	Inline	F X F	POA	POA	POA	POA	34
5937-SS	2.5	Inline	G X G	POA	POA	POA	POA	34
5940	2.5	Inline	F X M	POA	POA	POA	POA	30
5940-GR	2.5	Inline	G X M	POA	POA	POA	POA	30
CAP		Capped Bonnet					POA	--

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

2-WAY FLUSH INLET FDC UNIT (with Clappers)



Catalog Page 6-3

Figure No.	Size	Type	CB	PB	PC	Wt.
6010	4 x 2.5 x 2.5	Back	1,382	1,645	1,819	41
6011	4 x 2.5 x 2.5	Bottom	1,510	1,774	1,947	44
6012	4 x 2.5 x 2.5	Top	1,510	1,774	1,947	44
6010SPE	4 x 2.5 x 2.5	Back	1,582	1,845	2,018	46
6011SPE	4 x 2.5 x 2.5	Bottom	1,710	1,973	2,147	49
6012SPE	4 x 2.5 x 2.5	Top	1,710	1,973	2,147	49
6010GRV	4 x 2.5 x 2.5	Back	1,382	1,645	1,819	46
6011GRV	4 x 2.5 x 2.5	Bottom	1,510	1,774	1,947	49
6012GRV	4 x 2.5 x 2.5	Top	1,510	1,774	1,947	49
6020	6 x 2.5 x 2.5	Back	2,097	2,361	2,534	43
6021	6 x 2.5 x 2.5	Bottom	2,353	2,616	2,790	52
6022	6 x 2.5 x 2.5	Top	2,353	2,616	2,790	52
6030-NYF	4 x 3 x 3	Back	2,091	2,229	2,349	48
6031-NYF	4 x 3 x 3	Bottom	2,175	2,313	2,433	50
6032-NYF	4 x 3 x 3	Top	2,175	2,313	2,433	50
6035-NYF	5 x 3 x 3	Back	4,127	4,264	4,384	55
6036-NYF	5 x 3 x 3	Bottom	4,539	4,677	4,796	62
6037-NYF	5 x 3 x 3	Top	4,539	4,677	4,796	62
6040-NYF	6 x 3 x 3	Back	3,026	3,164	3,284	57
6041-NYF	6 x 3 x 3	Bottom	3,711	3,849	3,968	64
6042-NYF	6 x 3 x 3	Top	3,711	3,849	3,968	64

Note: NYF Units with 3" inlets include #6746 Painted Plugs per NYC code (NST Brass Plugs - POA).

2-WAY FLUSH INLET FDC UNIT (with Clappers) w/ SILLCOCK



Catalog Page 6-4

Figure No.	Size	Type	CB	PB	PC	Wt.
6050	4 x 2.5 x 2.5	Back	1,586	1,907	2,130	46
6051	4 x 2.5 x 2.5	Bottom	1,714	2,035	2,258	49
6052	4 x 2.5 x 2.5	Top	1,714	2,035	2,258	49
6050SPE	4 x 2.5 x 2.5	Back	1,785	2,107	2,330	46
6051SPE	4 x 2.5 x 2.5	Bottom	1,914	2,235	2,458	49
6052SPE	4 x 2.5 x 2.5	Top	1,914	2,235	2,458	49
6060	6 x 2.5 x 2.5	Back	2,301	2,622	2,845	48
6061	6 x 2.5 x 2.5	Bottom	2,557	2,878	3,101	57
6062	6 x 2.5 x 2.5	Top	2,557	2,878	3,101	57

2-WAY FLUSH INLET FDC UNIT (with Clappers) w/ SILLCOCK (Continued)



Catalog Page 6-4

Figure No.	Size	Type	CB	PB	PC	Wt.
6070-NYF	4 x 3 x 3	Back	2,295	2,490	2,660	53
6071-NYF	4 x 3 x 3	Bottom	2,379	2,575	2,744	55
6072-NYF	4 x 3 x 3	Top	2,379	2,575	2,744	55
6075-NYF	5 x 3 x 3	Back	4,330	4,526	4,695	60
6076-NYF	5 x 3 x 3	Bottom	4,743	4,938	5,108	67
6077-NYF	5 x 3 x 3	Top	4,743	4,938	5,108	67
6080-NYF	6 x 3 x 3	Back	3,230	3,426	3,595	62
6081-NYF	6 x 3 x 3	Bottom	3,915	4,110	4,279	69
6082-NYF	6 x 3 x 3	Top	3,915	4,110	4,279	69

**Note: NYF Units with 3" inlets include #6746 Painted Plugs per NYC code (NST Brass Plugs - POA).*

3-WAY FLUSH INLET FDC UNIT (with Clappers)



Catalog Page 6-5

Figure No.	Style	Type	CB	PB	PC	Wt.
6112	4 x 2.5 x 2.5 x 2.5	Back	DISCONTINUED			58
6115	6 x 2.5 x 2.5 x 2.5	Back	5,578	7,053	7,311	50
6116	6 x 2.5 x 2.5 x 2.5	Bottom	5,806	6,158	7,587	58
6117	6 x 2.5 x 2.5 x 2.5	Top	5,806	6,158	7,587	58

Note: The 6115, 6116, & 6117 bodies have 6-5/8" Center to Center dimensions.

4-WAY FLUSH INLET FDC UNIT (with Clappers)



Catalog Page 6-6

Figure No.	Style	Type	CB	PB	PC	Wt.
6230	Horizontal	Back	10,188	10,506	11,101	85
6231	Horizontal	End (R)	10,188	10,506	11,101	85
6232	Horizontal	End (L)	10,188	10,506	11,101	85
6233	Horizontal	Top	10,188	10,506	11,101	85
6234	Horizontal	Bottom	10,188	10,506	11,101	85
6240	Vertical	Back	10,419	10,738	11,333	85
6241	Vertical	Bottom	10,419	10,738	11,333	85
6242	Vertical	Top	10,419	10,738	11,333	85
6243	Vertical	Side (R)	10,419	10,738	11,333	85
6244	Vertical	Side (L)	10,419	10,738	11,333	85

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

6" x 6-WAY FLUSH INLET FDC UNIT (with Clappers)



Catalog Page 6-7

Fig.No.	Style	Type	PB	PC	Wt.
6250	Horizontal	Back	**16,911**	**17,706**	181
6251	Horizontal	End (R)	**16,911**	**17,706**	181
6252	Horizontal	End (L)	**16,911**	**17,706**	181
6253	Horizontal	Top	**16,911**	**17,706**	181
6254	Horizontal	Bottom	**16,911**	**17,706**	181
6260	Vertical	Back	**17,060**	**17,861**	181
6261	Vertical	Bottom	**17,060**	**17,861**	181
6262	Vertical	Top	**17,060**	**17,861**	181
6263	Vertical	Side (R)	**17,060**	**17,861**	181
6264	Vertical	Side (L)	**17,060**	**17,861**	181

8" x 6-WAY FLUSH INLET FDC UNIT (with Clappers)



Catalog Page 6-7

Fig.No.	Style	Type	PB	PC	Wt.
6270	Horizontal	Back	**17,542**	**18,338**	186
6271	Horizontal	End (R)	**17,542**	**18,338**	186
6272	Horizontal	End (L)	**17,542**	**18,338**	186
6273	Horizontal	Top	**17,542**	**18,338**	186
6274	Horizontal	Bottom	**17,542**	**18,338**	186
6280	Vertical	Back	**17,691**	**18,493**	186
6281	Vertical	Bottom	**17,691**	**18,493**	186
6282	Vertical	Top	**17,691**	**18,493**	186
6283	Vertical	Side (R)	**17,691**	**18,493**	186
6284	Vertical	Side (L)	**17,691**	**18,493**	186

6" x 4-WAY SQUARE FLUSH INLET FDC UNIT


(with Clappers)



Catalog Page 6-8

Fig.No.	Style	Type	PB	PC	Wt.
6290	Square	Back	**14,923**	**15,528**	116
6291	Square	Top	**14,923**	**15,528**	116
6292	Square	Side (R)	**14,923**	**15,528**	116
6293	Square	Side (L)	**14,923**	**15,528**	116
6294	Square	Bottom	**14,923**	**15,528**	116

MULTI-INLET CLAPPER SNOOT STYLE FLUSH FDC UNIT







Catalog Page 6-9 & 6-10

Fig.No.	Size	Style	Type	PB	PC	Wt.
6310-S	4" 2-Way	Horizontal	End	**2,695**	**3,091**	56
6312-S	4" 2-Way	Vertical	End	**2,968**	**3,364**	56
6315	6" 3-Way	Horizontal	End	**7,862**	**8,454**	95
6317	6" 3-Way	Vertical	End	**8,093**	**8,686**	95
6320	6" 4-Way	Horizontal	End	**8,815**	**9,791**	118
6322	6" 4-Way	Vertical	End	**9,047**	**10,023**	118
6325	6" 6-Way	Horizontal	End	**11,631**	**12,996**	204
6327	6" 6-Way	Vertical	End	**11,780**	**13,151**	204
6330	8" 6-Way	Horizontal	End	**12,263**	**13,628**	208
6332	8" 6-Way	Vertical	End	**12,411**	**13,783**	208
6334	6" 4-Way	Square	Back	**9,977**	**11,346**	118
6335	6" 4-Way	Square	Angle	**6,498**	**7,461**	118

Deduct for Steel Bodies (All Outlets Grooved/End):

3-Way	**3,000**
4-Way	**3,275**
6" 6-Way	**3,925**
8" 6-Way	**4,025**

6" x 4-WAY CLAPPER SNOOT STYLE FLUSH INLET FDC UNIT

(BACK/ANGLE OUTLET)



Catalog Page 6-11

Fig.No.	Size	Style	Type	PB	PC	Wt.
6337	6" 4-Way	Horizontal	Back	**5,459**	**7,229**	86
6338	6" 4-Way	Horizontal	Angle	**5,459**	**7,229**	86
6339	6" 4-Way	Vertical	Back	**5,706**	**7,507**	86
6340	6" 4-Way	Vertical	Angle	**5,706**	**7,507**	86

SINGLE INLET FDC UNIT (ROUND PLATE)



Catalog Page 6-12

Fig.No.	Size	CB	PB	PC	Wt.
6341	2.5 x 2.5	**256**	**394**	**485**	8
6341SPEC	2.5 x 2.5	**356**	**493**	**585**	9
6342	3 x 2.5	**357**	**443**	**556**	9
6343	3 x 3	**435**	**541**	**666**	11
6345	1.5 x 1.5	**104**	**153**	**202**	2

Prices are for NST . "Special" threads are listed on Page 45. Any thread other than NST is POA.

WALL PLATES (FOR FLUSH FIRE DEPT. CONNECTIONS)



Catalog Page 6-13

Fig. No.	Size	Type	CB	PB	PC	Wt.
6900	2-way	Horizontal	274	338	406	5
6901	2-way	Horizontal	274	338	406	5
6902	2-way	Horizontal	274	338	406	5
6903	2-way	Horizontal	405	501	601	6
6904	2-way	Horizontal	405	501	601	6
6905	3-way	Horizontal	403	500	599	7
6906	4-way	Horizontal	501	630	958	9
6907	4-way	Vertical	745	873	1,201	9
6908	6-way	Horizontal	733	990	1,379	13
6909	6-way	Vertical	889	1,146	1,542	13
6910	4-way	Square	571	700	1,037	7
6911	2-way	Horizontal	274	338	406	5
6912	2-way	Vertical	560	625	692	5
6913	3-way	Vertical	646	743	843	7
6914	4-way	Horizontal	501	630	958	9
6915	6-way	Horizontal	733	990	1,379	13
6916	2-way	Horizontal	274	338	406	5
6917	3-way	Horizontal	403	500	599	7
6918	4-way	Horizontal	501	630	958	9
6919	4-way	Vertical	745	873	1,201	9
6920	3-way	Horizontal	403	500	599	7
6921	4-way	Horizontal	501	630	958	9
Special letters engraved ADD:			22	Per letter		

FIRE DEPARTMENT STORZ CONNECTIONS (*UL LISTED)





Catalog Page 6-14

Fig. No.	Size	Type	Alum.	PB	PC	Wt.
6350	4" F NPT Rigid X 4" STZ	30 Degree	1,018	1,374	1,412	8
6352	4" F NPT Rigid X 5" STZ	30 Degree	1,481	1,797	1,835	13
6353	6" F NPT Rigid X 4" STZ	30 Degree	1,345	1,929	1,980	15
6354	6" F NPT Rigid X 5" STZ	30 Degree	1,541	2,085	2,136	19
6355	6" F NPT Rigid X 6" STZ	30 Degree	1,882	2,664	2,715	21
*6360	4" F NPT Rigid X 4" STZ	Str.	737	1,339	1,382	5
6360	4" F NPT Rigid X 4" STZ	Str.	958	1,412	1,455	5
6361	5" F NPT Rigid X 5" STZ	Str.	1,551	1,992	2,035	11
*6362	4" F NPT Rigid X 5" STZ	Str.	974	1,445	1,483	8
6362	4" F NPT Rigid X 5" STZ	Str.	1,226	1,657	1,699	8
6363	6" F NPT Rigid X 4" STZ	Str.	1,809	2,371	2,427	14
6364	6" F NPT Rigid X 5" STZ	Str.	1,687	1,847	1,897	16
6365	6" F NPT Rigid X 6" STZ	Str.	1,766	2,400	2,450	18
6368	4" F NPSH SW X 4" STZ	90 Deg. F/S	2,266	2,720	2,843	16
6369	4" F NPSH SW X 5" STZ	90 Deg. F/S	2,465	2,880	3,003	19
6370	6" F NPSH SW X 4" STZ	90 Deg. F/S	2,750	3,116	3,286	22
6371	6" F NPSH SW X 5" STZ	90 Deg. F/S	2,967	3,324	3,495	25
6380	4" F NPSH SW X 4" STZ	120 Deg. F/S	2,342	2,795	2,918	21
6382	4" F NPSH SW X 5" STZ	120 Deg. F/S	2,541	2,956	3,079	24
6383	6" F NPSH SW X 4" STZ	120 Deg. F/S	2,824	3,191	3,362	27
6384	6" F NPSH SW X 5" STZ	120 Deg. F/S	2,979	3,337	3,507	30

*Note: Storz FDCs include Screen, Vented Cap with Chain and Round Plate. (*UL Listed - No screen).*

4" & 6" Str. & 30-Degree Alum. include red alum plate. 5" is CB. PB/PC Units include PB/PC Plates.

"F/S" Units include matching PB/PC 18" Sleeve & Plate (Alum. Finish has PC Sleeve & Plate)

2-WAY SINGLE CLAPPER FDC - EXPOSED TYPE




Catalog Page 6-15

Fig. No.	Size	Type	CB	PB	RC	PC	Wt.
6405NST	4 x 2.5 x 2.5	Back	352	491	475	614	10
6405Spec	4 x 2.5 x 2.5	Back	522	661	645	784	10
6407NST	4 x 2.5 x 2.5	Angle	415	554	537	676	12
6407Spec	4 x 2.5 x 2.5	Angle	585	724	707	846	12

2-WAY DOUBLE CLAPPER FDC - EXPOSED TYPE





Catalog Page 6-15

Fig. No.	Size	Type	CB	PB	RC	PC	Wt.
6410 "A/S"	4 x 2.5 x 2.5	Back	656	823	779	946	19
6410 "S/P"	4 x 2.5 x 2.5	Back	719	886	842	1,008	19
6410Spec	4 x 2.5 x 2.5	Back	889	1,056	1,012	1,178	19
6412	6 x 2.5 x 2.5	Back	1,408	1,630	1,530	1,753	24
6413-NYF	4 x 3 x 3	Back	1,348	1,515	1,470	1,637	20
6414-NYF	5 x 3 x 3	Back	2,924	3,147	3,046	3,269	24
6415-NYF	6 x 3 x 3	Back	2,286	2,509	2,409	2,631	26
6420 "A/S"	4 x 2.5 x 2.5	Angle	722	900	844	1,011	22
6420 "S/P"	4 x 2.5 x 2.5	Angle	722	900	844	1,011	22
6420Spec	4 x 2.5 x 2.5	Angle	981	1,159	1,103	1,270	22
6422	6 x 2.5 x 2.5	Angle	1,442	1,698	1,564	1,809	26
6423-NYF	4 x 3 x 3	Angle	1,382	1,555	1,504	1,671	23
6424-NYF	5 x 3 x 3	Angle	POA	POA	POA	POA	26
6425-NYF	6 x 3 x 3	Angle	2,559	2,810	2,682	2,926	28

2-WAY DOUBLE CLAPPER FDC UNIT - EXPOSED TYPE

(Includes Round Plate & Plugs)




Catalog Page 6-16

Fig. No.	Size	CB	PB	RC	PC	Wt.
6430	4 x 2.5 x 2.5	961	1,214	1,188	1,428	30
6430-SPEC	4 x 2.5 x 2.5	1,166	1,419	1,393	1,633	40
6432	6 x 2.5 x 2.5	1,692	2,012	1,918	2,239	40
6433-NYF*	4 x 3 x 3	1,567	1,770	1,744	1,936	33
6434-NYF*	5 x 3 x 3	3,158	3,417	3,329	3,582	37
6435-NYF*	6 x 3 x 3	2,547	2,819	2,725	2,996	43

**Note: NYF Units with 3" inlets include #6746 Painted Plugs per NYC code (NST Brass Plugs - POA).*

2-WAY DOUBLE CLAPPER w/ SILLCOCK FDC UNIT - EXPOSED TYPE

(Includes Round Plate & Plugs)



Catalog Page 6-16

Fig. No.	Size	CB	PB	RC	PC	Wt.
6440	4 x 2.5 x 2.5	1,111	1,397	1,387	1,673	39
6443-NYF*	4 x 3 x 3	1,716	1,953	1,944	2,180	42

**Note: NYF Units with 3" inlets include #6746 Painted Plugs per NYC code (NST Brass Plugs - POA).*

Prices are for NST (NYF where noted) . "Special" threads are listed on Page 45. Any thread other than NST is POA.

3-WAY CLAPPER EXPOSED INLET FDC




Catalog Page 6-16

Fig. No.	Size	Type	CB	PB	RC	PC	Wt.
6460	4"	Back	4,180	4,394	4,364	4,547	24
6461	6"	Back	3,825	4,192	3,960	4,327	28
6465	4"	Angle	4,334	4,670	4,468	4,805	25
6466	6"	Angle	3,039	3,443	3,174	3,566	29

Note: 6460 bodies require a 6" round plate for wall mounting, except for "No Branding" in CB and RC, which requires a 4" plate.

FREE-STANDING INLET FDC UNITS (with Clappers)



Catalog Page 6-17

Fig. No.	Size	CB	PB	RC	PC	Wt.
6510	4 x 2.5 x 2.5	1,357	1,712	1,675	2,007	33
6510-SPE	4 x 2.5 x 2.5	1,651	2,007	1,969	2,301	33
6512	6 x 2.5 x 2.5	2,298	2,744	2,617	3,091	47
6513-NYF	4 x 3 x 3	1,994	2,295	2,305	2,546	36
6514-NYF	5 x 3x 3	POA	POA	POA	POA	46
6515-NYF	6 x 3 x 3	3,392	3,784	3,662	4,087	48
6526	4 x 2.5 x 2.5 x 2.5	5,021	5,560	5,376	5,903	42
6527	6X(3)2.5	3,948	4,567	4,303	4,949	45

**Note: NYF Units with 3" inlets include #6746 Painted Plugs per NYC code (NST Brass Plugs - POA).*

4-WAY FREE-STANDING CLAPPER SNOOT STYLE FDC UNITS




Catalog Page 6-17

Fig. No.	Size	PB	PC	Wt.
6530	6" 4-Way	6,335	7,230	91
6532	6" 4-way (Sq)	6,766	8,186	101

MULTI-INLET FREE-STANDING FDC UNITS (with Clappers)



Catalog Page 6-18

Fig. No.	Size	PB	PC	Wt
6540	6" 4-way (Sq)	15,212	16,524	118
6545	6" 4-Way	10,861	12,328	110
6550	6" 6-Way	16,955	19,210	185
6555	8" 6-Way	18,461	20,991	172


MULTI-INLET CLAPPER SNOOT STYLE FREE-STANDING FDC UNITS




Catalog Page 6-18

Fig. No.	Size	PB	PC	Wt.
6541	6" 4-Way (Sq)	6,766	8,186	138
6546	6" 4-Way	11,355	13,240	130
6551	6" 6-Way	17,696	20,578	215
6556	8" 6-Way	19,202	22,359	202

2-WAY & 3-WAY FLUSH HYDRANTS (OUTLET FDC UNITS)





Catalog Page 6-19

Fig. No.	Size	Type	CB	PB	PC	Wt.
6610	4" 2-Way	Back	1,689	1,787	1,962	41
6611	4" 2-Way	Angle	1,452	1,550	1,725	44
6612	6" 2-Way	Back	2,039	2,137	2,312	43
6613	6" 2-Way	Angle	2,295	2,393	2,568	52
6615	6" 3-Way	Back	2,777	2,924	3,185	50


SINGLE FLUSH HYDRANTS (OUTLET FDC UNITS)



Catalog Page 6-19

Fig. No.	Size	CB	PB	PC	Wt.
6622	2.5 x 2.5	227	282	374	8
6623	3 x 2.5	255	311	409	9

2-WAY & 3-WAY EXPOSED HYDRANTS




Catalog Page 6-20

Fig. No.	Size	CB	PB	RC	PC	Wt.
6625	4" 2-Way	509	684	730	893	20
6627	6" 2-Way	1,306	1,508	1,526	1,729	26
6629	6" 3-Way	1,472	1,791	1,754	2,079	42

Prices are for NST . "Special" threads are listed on Page 45. Any thread other than NST is POA.

FREE-STANDING HYDRANT (OUTLET) FDC UNIT



Catalog Page 6-20

Fig. No.	Size	CB	PB	RC	PC	Wt.
6630	4 x 2.5 x 2.5	971	1,253	1,284	1,554	34
6632	6 x 2.5 x 2.5	1,895	2,232	2,207	2,584	43
6634	6 x 2.5 x 2.5 x 2.5	2,445	2,880	2,825	3,300	45

HYDRANT VALVE CONTROL





Catalog Page 6-20

Fig. No.	Type	CB	PB	PC	Wt.
6640	Square Flush Mount	1,755	1,928	2,076	13
6641	Round Flush Mount	Discontinued			13
6642	Free-Standing Type	N/A	2,577	2,621	15
6643	Valve Control Wrench	248			2


FEMALE SWIVEL (HOSE) X FEMALE (NPT) OPEN ADAPTERS



Catalog Page 6-21

Fig. No.	Size	CB	PB	PC	Wt.
6702	2.5 x 2.5	141	217	247	3
6702SPE	2.5 x 2.5	223	300	329	4
6704	2.5 x 3	221	246	292	5
6706	3 x 3	226	264	292	5

HYDRANT ADAPTERS (MALE HOSE X FEMALE NPT)



Catalog Page 6-21

Fig. No.	Size	CB	PB	PC	Wt.
6710	2.5 x 2.5	89	125	162	3
6712	2.5 x 3	97	133	170	4

SWIVEL (HOSE) X MALE (NPT) OPEN ADAPTERS



Catalog Page 6-21

Fig. No.	Size	CB	PB	PC	Wt.
6720	1.5 x 1.5	143	180	216	1
6721	2.5 x 2	160	197	234	3
6722	2.5 x 2.5	216	253	289	4
6724	2.5 x 3	225	261	298	5
6726	3 x 3	880	929	960	5

SPRING CHECK CLAPPER SNOOTS (FEMALE SWIVEL X NPT)



Catalog Page 6-21

Fig. No.	Size	Type	CB	PB	PC	Wt.
6730	2.5 x 3	F x F	983	1,019	1,068	12
6732	3 x 3	F x F	1,097	1,134	1,183	13
6734	2.5 x 3	F x M	1,073	1,110	1,159	9
6736	3 x 3	F x M	1,045	1,082	1,131	13

CLAPPER SNOOTS (FEMALE SWIVEL X NPT)



Catalog Page 6-21

Fig. No.	Size	Type	PB	PC	Wt.
6738	2.5 x 3	F NH x F NPT	385	526	8
6740	2.5 x 3	F NH x M NPT	385	526	8

PLUGS WITH CHAINS - CAST IRON, ALUMINUM, & PLASTIC







Catalog Page 6-21

Fig. No.	Size	Material/Description	Price	Wt.
6745	2.5	Cast Iron NY/NST	38	2
6746	3	Cast Iron NYFD	45	3
6747AL	2.5	Aluminum (Rough Brass)	38	1/2
6747AL-RED	2.5	Aluminum (Red) w/ Chain	38	1/2
6749PL	2.5	Plastic (Red) - No Chain	18	1/2
6749PL-CH	2.5	Plastic (Red) w/ Chain	27	1/2

**Iron Plugs Available Unpainted, Green, Yellow, & Red*

PLUGS WITH CHAINS - BRASS



Catalog Page 6-21

Fig. No.	Size	CB	PB	RC	PC	Wt.
6744	1.5	27	51	51	76	2
6747	2.5	53	77	77	101	2
6747-SPE	2.5	70	94	94	119	2
6748	3	126	156	181	211	3

Prices are for NST . "Special" threads are listed on Page 45. Any thread other than NST is POA.

BREAKABLE CAPS





Catalog Page 6-22

Fig. No.	Size	Material	Price (Ea)	Wt.
*6750	2.5"	Iron	15	1
*6751	3"	Iron	22	2
6752	2.5"	Aluminum (Red)	13	1
6753	2.5"	Plastic (Red)	11	1/2
6754	2.5"	Adj.-A-Plug	13	1/2

**Iron Caps Available Unpainted, Green, Yellow, & Red*

ROUND ESCUTCHEON PLATES





Catalog Page 6-22

Fig. No.	Size	CB	PB	RC	PC	Wt.
6758	2.5"	66	105	112	144	6
6759	3"	88	127	147	173	8
6760	4"	145	184	204	230	6
6762	5"	161	200	213	245	8
6764	6"	190	242	248	300	9
6765	8"	422	558	496	632	15
6766	4"	Aluminum (Red)		22		2
6767	4"	Plastic (Red)		13		2
6768	6"	Aluminum (Red)		202		3
6770	4"	208	251	294	336	10
Special lettering set-up (Brass)				196		

RECTANGULAR IDENTIFICATION WALL PLATES



Catalog Page 6-22

Fig. No.	CB	PB	RC	PC	Wt.
6778	127	189	189	250	3
Special lettering set-up (Brass)			212		

AUTOMATIC BALL DRIPS





Catalog Page 6-22

Fig. No.	Size	Type	Price	Wt.
6780	1/2	Straight	33	1/2
6781	3/4	Straight	51	1/2
6782	1/2	Angle	338	1/2
6783	3/4	Angle	338	1/2


SILLCOCK



Catalog Page 6-22

Fig. No.	Size	CB	PB	RC	PC	Wt.
6790	0.75	79	106	98	125	1

FIRE PUMP TEST CONNECTION FLUSH TYPE (WITH VALVES)




Catalog Page 6-23

Fig. No.	Size	CB	PB	RC	PC	Wt.
6802	4" 2-way (Steel)	2,726	2,983	2,935	3,244	76
6806	6" 3-way	7,908	8,294	8,221	8,684	121
6807	6" 4-way	8,877	9,391	9,294	10,097	177
6808	8" 6-way	12,293	13,127	12,919	14,087	256
Add for vertical lettering:		250				
Add for NYF Thread:		128	Per Outlet			

Deduct for Steel Body- Grooved End Inlet

3-Way	3,000
4-Way	3,275
6-Way	4,025

FIRE PUMP TEST CONNECTION FLUSH TYPE





Catalog Page 6-23

Fig. No.	Size	CB	PB	RC	PC	Wt.
6815	4" 2-Way	1,324	1,422	1,434	1,597	41
6817	6" 3-Way	2,777	2,924	2,942	3,185	50
6818	6" 4-Way	3,767	3,963	3,988	4,497	70
6819*	6" 4-Way	3,828	4,024	4,049	4,558	74
#5150 Swivel Gate (Removable) Valves-Cast Brass.-Add for each:					640	12
		Add for vertical lettering:		22	Per Letter	

** 6819 Body is Ductile Iron*

FREE-STANDING FPT (WITH VALVES)




Catalog Page 6-23

Fig. No.	Size	PB	PC	Wt.
6820	4" 2-way	2,059	2,506	40
6822	6" 3-way	3,697	4,337	60
6824+	6" 4-way	11,931	13,546	145
6826+	8" 6-way	20,066	22,818	225
6828+	6" 4-way (Sq)	6,835	8,295	168
6830+	6" 4-way	5,917	7,376	124
Add for NYF Thread:		283 Per Outlet		(Models 6820, 6822)
		128 Per Outlet		(Models 6824, 6826, 6828, 6830)

+ 3" connecting nipples by contractor

Prices are for NST . "Special" threads are listed on Page 45. Any thread other than NST is POA.

ROOF MANIFOLDS
STRAIGHT/ANGLE PATTERN (BODY ONLY)




Catalog Page 6-25

Fig. No.	Size	Type	CB	PB	RC	PC	Wt.
6840-NPT	4" 2-Way	Straight	**282**	**383**	**410**	**508**	9
6840-NST	4" 2-Way	Straight	**295**	**396**	**423**	**524**	9
6841-NPT	6" 2-Way	Straight	**896**	**1,012**	**1,024**	**1,137**	14
6841-NST	6" 2-Way	Straight	**1,049**	**1,166**	**1,178**	**1,294**	14
6850-NPT	4" 3-Way	Straight	**913**	**1,072**	**1,084**	**1,249**	27
6851-NPT	6" 3-Way	Straight	**1,177**	**1,392**	**1,349**	**1,569**	30
6851-NST	6" 3-Way	Straight	**1,177**	**1,392**	**1,349**	**1,569**	30
6860-NPT	4" 2-Way	Angle	**316**	**432**	**444**	**561**	10
6860-NST	4" 2-Way	Angle	**364**	**481**	**493**	**609**	10
6861-NPT	6" 2-Way	Angle	**1,066**	**1,226**	**1,195**	**1,354**	16
6861-NST	6" 2-Way	Angle	**1,066**	**1,226**	**1,195**	**1,354**	16
6870-NPT	4" 3-Way	Angle	**1,007**	**1,190**	**1,184**	**1,368**	24
6871-NPT	6" 3-Way	Angle	**1,177**	**1,416**	**1,355**	**1,594**	19
6871-NST	6" 3-Way	Angle	**1,578**	**1,817**	**1,756**	**1,994**	19
Add Per Each Outlet (NPT) for figure 5035 Valve with 5713 Cap w/ Chain:							
5035/5713			**325**	**417**	**429**	**509**	11
5035/5713-NYF			**332**	**424**	**436**	**516**	11
Add for 1/4" Tapping:				**95**			

Note: All Roof Manifolds have 2.5" Outlets

ROOF MANIFOLDS
HORIZONTAL/VERTICAL TYPE WITH VALVES & CAPS



Catalog Page 6-25

Fig. No.	Size	Type	CB	PB	RC	PC	Wt.
6880	4" 2-Way	Horizontal	**1,750**	**2,171**	**2,134**	**2,531**	46
6881	6" 2-Way	Horizontal	**2,100**	**2,535**	**2,501**	**2,912**	50
6882	4" 3-Way	Horizontal	**2,658**	**3,323**	**3,560**	**4,190**	65
6883	6" 3-Way	Horizontal	**2,875**	**3,565**	**3,837**	**4,490**	73
6884*	6" 4-Way	Horizontal	**3,994**	**4,362**	**4,411**	**4,730**	98
6890	4" 2-Way	Vertical	**2,703**	**3,125**	**3,087**	**3,484**	85
6892	4" 3-Way	Vertical	**3,233**	**3,898**	**4,135**	**4,764**	85
6893	6" 3-Way	Vertical	**4,258**	**4,947**	**5,219**	**5,872**	85

Notes: All Roof Manifolds have 2.5" Outlets
**6884 Body is steel*

FDC FITTER PACKAGES



Catalog Page 6-26

Fig.No.	Size	Style	Price	Wt.
6950	4 x 2.5 x 2.5	Straight	**918**	20
6952	4 x 2.5 x 2.5	Straight	**1,007**	20
6954	4 x 2.5 x 2.5	Straight	**935**	20
6960	4 x 2.5 x 2.5	Angled	**981**	20
6962	4 x 2.5 x 2.5	Angled	**1,069**	20
6964	4 x 2.5 x 2.5	Angled	**998**	20

Note: Price Includes Body, Plate (Alum.), Check Valve and Plastic Breakable Caps

CHECK VALVES



Catalog Page 6-27

Fig No.	Size	Style	Cast Brass	Wt.
6965	4 " X 4 "	Groove X Groove	**537**	12
6967	4 " X 4 "	NPT Ma X Groove	**626**	12
6969	4 " X 4 "	NPT Ma X NPT Fe	**554**	12

ELBOWS



Catalog Page 6-27

Fig No.	Size	Style	CB	PB	PC	Wt.
6970	2 1/2"	30 Degree	N/A	**231**	**235**	4
6971	2 1/2"	45 Degree	**496**	**545**	**558**	4
6972	2 1/2"	90 Degree	**523**	**571**	**571**	4

DRY HYDRANT ADAPTERS



Catalog Page 6-28


Fig No.	Size	Type	Price	Wt.
6983	6" X 6"	PVC X MALE NH	**1,150**	14
6984	6" X 5"	PVC X MALE NH	**1,086**	14
6985	6" X 4 1/2"	PVC X MALE NH	**1,033**	14
6986	6" X 6"	PVC X FEMALE NH	**1,458**	14
6987	6" X 5"	PVC X FEMALE NH	**1,486**	14
6988	6" X 4 1/2"	PVC X FEMALE NH	**1,364**	14

ACCESSORIES FOR DRY HYDRANT INSTALLATIONS

Fig No.	Description	Price	Wt.
6989	6" Hori. PVC Strainer w/Back Flushing Cover	**1,050**	8
6990	6" Hori. PVC Strainer w/Fixed Cover	**796**	8
6991	8" Horizontal PVC w/Back Flushing Cover	**1,209**	10
6992	8" Horizontal PVC Strainer w/Fixed Cover	**923**	10
6993	8" PVC Barrel Strainer	**895**	7
6994	6" Dry Hydrant Low Level PVC Strainer	**1,369**	14
6995	6" Shallow Water Strainer	**2,683**	16
6996	6" Strainer Support Clamp	**97**	2
6997	8" Strainer Support Clamp	**114**	2
6998	12" X 18" Reflective Dry Hydrant Sign	**185**	11
6999	6" Full Time In-Line Swivel	**1,328**	5

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

HOSE & HYDRANT HOUSES






Catalog Pages 7-2 & 7-3

Fig. No.	Description	Dimensions	Price	Wt.
7005	Pentagonal (Alum.)	71 5/8"H x 64 1/4"W x 67 7/8"D	POA	460
7005GALV	Pentagonal (Galvanneal)	85 1/2"H x 66 1/4"W x 73 1/4"D	POA	620
7010	Low Silhouette (Alum.)	32"H x 44"W x 44"D	POA	380
7017	Galvanneal	36"H x 69 1/4"W x 32"D	POA	150
7017RE	Galvanneal	36"H x 69 1/4"W x 32"D	POA	150

ROOF STORAGE HOUSE

7015





7016

Catalog Page 7-2

Fig. No.	Description	Dimensions	Price	Wt.
7015	16-GA (Red Powder Coat)	13 1/4"H x 36 1/8"W x 42 1/8"D	POA	210
7016	Curb (14-GA Galvanized)	14 1/4"H x 33"W x 38 7/8"D	POA	120

ROOF STORAGE EQUIPMENT

Fig. No.	Qty	Description	Price	Wt.
3405	3	1 1/2" x 50' Hose w/3444 cplgs	**977**	15
3460	1	1 1/2" brass fog nozzle	**104**	2
5220	1	1 1/2" globe valve-24" stem	**1,162**	2
5221	1	1/2" globe valve -24" stem	**433**	2
7220	1	1 1/2" F NPT x 1 1/2" M NST brass nipple	**63**	1
		Total:	**2,738**	22

HOSE STORAGE HOUSE





Catalog Page 7-3

Fig. No.	Description	Dimensions	Price	Wt.
7020	Wall Mount	42"H x 58"W x 15"D	**3,425**	195
7021	2" Pipe Couplings	42"H x 58"W x 15"D	**3,625**	195
7022	Stand Mounting	54"H x 58"W x 15"D	**3,625**	195
7022AL	Aluminum	54"H x 58"W x 15"D	**6,425**	80
7023FG	Fiberglass	38"H x 58"W x 15"D	POA	85

FACTORY MUTUAL EQUIPMENT REQUIREMENTS

(MINIMUM FOR OUTSIDE STORAGE HOUSES)

Fig. No.	Qty.	Description	Price (ea)	Wt. (ea)
3406	4	2 1/2 x 50' SJ Hose, Coupled	**620**	27
3405	2	1 1/2" x 50' SJ Hose Coupled	**319**	15
3464	2	2 1/2" Brass fog nozzle	**480**	3
3478	1	1 1/2" Plastic fog nozzle	**43**	1
7131	1	Gated Wye	**694**	10
7245	1	2 1/2" x 1 1/2" Brass reducer	**44**	1
7109	4	2 1/2" Common Spanner	**28**	1
7107	2	1 1/2" Common Spanner	**28**	1
7111	2	Hydrant wrench	**52**	3
		TOTAL:	**5,130**	168

NOTE: Add sufficient Quantity #3489 U/L playpipes: **1,121** *each*

NON-COLLAPSIBLE RUBBER HOSE



Catalog Page 7-4

Fig. No.	Size	Thread	Length	Price	Wt.
7035	3/4" (Black)	GHT/IPT	50'	**266**	25
			75'	**543**	35
			100'	**628**	45
7036	1 1/4" (Red)	IPT	50'	**1,884**	35
			75'	**2,697**	49
			100'	**3,509**	62
7037	1" (Black)	IPT	50'	**833**	38
			75'	**1,203**	53
			100'	**1,573**	68
7038	1 1/2" (Red)	IPT/NST	50'	**1,810**	48
			75'	**2,622**	67
			100'	**3,435**	86

NOTE: For lengths longer than 100' contact the factory

NST in 1" and 1-1/4" are POA

HOSE SADDLE RACK



Catalog Page 7-4

Fig. No.	Capacity (Ft.) Depth	Size	RH	SJ	DJ	Price	Wt.
7055	3 1/8"	1.5	100	75	50	**264**	6
7056	4 1/4"	2.5	100	75	50	**259**	6
7057	6 1/4"	1.5	200	150	100	**310**	7
7058	9"	2.5	200	150	100	**388**	8

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

HOSE REELS





Catalog Page 7-4

Fig. No.	Size	Capacity (Ft.) RH	SJ	DJ	Price	Wt.
7060	DISCONTINUED					
7066	1 1/2"	100	75	50	**489**	20
7068	1 1/2"	300	200	150	**556**	26
7071	1 1/2"	150	100	75	**587**	24
7072	2 1/2"	150	100	75	**556**	26
7075	1 1/2"	150	50-75	-----	**346**	12
7076	1 1/2"	250	100	-----	**428**	15
7077	2 1/2"	100	100	-----	**591**	20

HUMP RACKS



Catalog Page 7-4

Fig. No.	Size	Capacity (Ft.) RH	SJ	DJ	Price	Wt.
7080	1.5	100	50	-----	**524**	12
7081	1.5	150	100	50	**765**	17
7082	1.5	200	150	100	**812**	24
7083	2.5	100	50	-----	**476**	13
7084	2.5	150	100	50	**780**	17 1/2
7085	2.5	200	100	50	DISCONTINUED	
Semi-Automatic Hose Clamp					POA	1
Pipe Clamps (to 2 1/2")					**180**	1


IN-COLUMN RACK



Catalog Page 7-6

Fig. No.	Size	Price	Wt.
7088	(10" or 12" column)	POA	8
7089	(7" or 8" column)	DISCONTINUED	8

HOSE HANGER



Catalog Page 7-6

Fig. No.	Material	Price	Wt.
7090AL	Aluminum	DISCONTINUED	5
7090ST	Steel	**225**	5

CONTINUOUS FLOW REELS



Catalog Page 7-6

Fig. No.	Capacity (Ft.) 3/4"	1"	Price	Wt.
7091	100	75	**2,645**	120
7092	150	100	**2,645**	129
7093	200	125	**2,645**	138
7094	275	175	**2,645**	155

Fig. No.	Capacity (Ft.) 1"	1-1/2"	Price	Wt.
7095	75	----	**3,425**	130
7096	----	75	**3,425**	139
7097	----	75	**3,425**	148
7098	----	100	**3,425**	173
7099	----	100	**3,425**	174
7100	----	150	**3,425**	184
7101	----	200	**3,425**	197
7102	----	250	**3,878**	188
Deduct for No Hand Crank:			**100**	

ACCESSORIES

Catalog Pages 7-7 & 7-8

Fig. No.	Description	Price	Wt.
7105	Combination Spanner	**33**	5
7107	Common Spanner 1 1/2	**28**	5
7109	Common Spanner 2 1/2	**28**	5
7111	Hydrant Wrench	**52**	15
7113	Universal Spanner	**33**	5
7119	Hydrant Wrench	**163**	5
7121	Playpipe Holder	POA	1
7123	Hose & Ladder Strap	**326**	5
7125	Crowbar 36"	**159**	65
7127	Crowbar 51"	**166**	50
7129	Portable Light	POA	2
7131PB	Gated Wye with Pol Brass Swivels NST	**694**	50
7133	Spare Washers 1 1/2"	**3**	0.125
7135	Spare Washers 2 1/2"	**4**	0.125
7137	Spare Washers 3"	**5**	0.125
7140	Pickhead Fire Axe - 2 3/4 Lb.	**270**	13 3/4
7142	Pickhead Fire Axe - 6 Lb.	**267**	30
7144	Axe Brackets	POA	1
7146	Playpipe Brackets	POA	1
7147	Crowbar Brackets	POA	1
7148	Spanner Brackets	POA	1
7150	4" Roof Tank Strainer	POA	8
7151	5" Roof Tank Strainer	POA	12
7152	6" Roof Tank Strainer	POA	14
7153	8" Roof Tank Strainer	POA	20 1/2
7154	10" Roof Tank Strainer	POA	26
7158	Breakable Padlock	**15**	5
7162	Fire Blanket Cabinet	POA	32
7164	Fire Blanket Cabinet	POA	12

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

RACK & REEL COVERS



Catalog Page 7-8

Fig. No.	Rack Type	Material	For Use With:	Price	Wt.
7170	Pin Rack	Red Vinyl	All Pin Racks	71	1
7170-CLEAR	Pin Rack	Clear Vinyl	All Pin Racks	71	1
7171	Pin Rack	Red Vinyl	Use 7170	N/A	1
7172	Pin Rack	Clear Vinyl	Use 7170-Clear	N/A	1
7173	Pin Rack	Clear Vinyl	Use 7170-Clear	N/A	1
7178	Reel (16"-18")	Red Vinyl	7075	55	1
7179	Reel (24")	Red Vinyl	7076, 7077	66	1
7180	Reel (26")	Red Vinyl	7068, 7071, 7072	73	1
7181	Reel (32")	Red Vinyl	All Reels	109	1
7184	Hump Rack	Red Vinyl	7080, 7083	88	1
7185	Hump Rack	Red Vinyl	7081, 7084	95	1
7186	Hump Rack	Red Vinyl	7082, 7085	109	1

DOUBLE MALE HEX ADAPTERS



Catalog Page 7-9

Fig. No.	Size	CB	PB	PC	Wt.
7201	1 1/2" x 1 1/2"	61	----	----	1/2
7201	2 1/2" x 1 1/2"	166	----	----	1 1/4
7201	2 1/2" NST x 2" NPT	134	----	----	1 1/2
7201	2 1/2" x 2 1/2"	138	179	219	1 1/2
7201	2 1/2" x 3"	511	552	592	1 1/2
7201	3" NPT x 3" NST/NPSH	380	----	----	3
7201	4" NPT x 4" NST/NPSH	592	----	----	7
7201	4" NPT x 4 1/2" NST	633	----	----	7 1/2
7201	5" NPT x 5" NST	1,430	----	----	10
7201	6" NPT x 4 1/2" NST	1,138	----	----	10
7201	6" NPT x 6" NST	1,296	----	----	12

NO LUG ADAPTERS





Catalog Page 7-9

Fig. No.	Size	CB	Wt.
7201NL	2 1/2" NST x 2 1/2" NPT	77	1 1/2
7201NL-SPEC	2 1/2" SPEC x 2 1/2" NPT	77	2
7201NLS	3" NST x 2 1/2" NPT	97	2
7201NL-GR	2 1/2" Groove x NPT	64	1
7201NL-GR-4	4" Groove x NPT	102	5
7201NL-GR-6	6" Groove x NPT	195	6

DOUBLE FEMALE HEX ADAPTERS



Catalog Page 7-9

Fig. No.	Size	CB	Wt.
7215	1 1/2" x 1 1/2"	67	1/2
7215	2 1/2" x 2 1/2"	153	1 1/2

FEMALE x MALE HEX ADAPTERS



Catalog Page 7-9

Fig. No.	Size	CB	PB	PC	Wt.
7220	1 1/2" x 1 1/2"	69	----	----	1/2
7220	2 1/2" x 1 1/2"	212	----	----	1
7220	2 1/2" NST x 2" NPT	138	----	----	1
7220	2 1/2" x 2 1/2"	89	125	162	1 1/2
7220	3" x 2 1/2"	261	----	----	2
7220	3" NPT x 3" NST	382	----	----	4
7220	4" NPT x 4" NST	986	----	----	7
7220	4" NPT x 4 1/2" NST	1,222	----	----	7
7220	6" NPT/NST x 6" NST/NPT	1,583	----	----	15

DOUBLE MALE PIN LUG ADAPTERS



Catalog Page 7-9

Fig. No.	Size	CB	Wt.
7230	1 1/2" x 1 1/2"	221	1
7230	2 1/2" x 2 1/2"	401	2 1/2

DOUBLE FEMALE SWIVEL ADAPTERS



Catalog Page 7-9

Fig. No.	Size	CB	Wt.
7235	1 1/2" x 1 1/2"	214	1 1/2
7235	2 1/2" x 2 1/2"	462	3 1/4

FEMALE x MALE REDUCERS (PIN LUG)



Catalog Page 7-9

Fig. No.	Size	CB	PB	PC	Wt.
7245	2 1/2" x 3/4" GHT	69	----	----	1
7245	2 1/2" x 1"	86	----	----	1
7245	2 1/2" x 1 1/2"	44	66	80	1
7245-SPEC	2 1/2" x 1 1/2"	66	102	139	1
7245PL	2 1/2" x 1 1/2" (Plastic)		32		1
7245	2 1/2" x 2"	76	----	----	1 1/2
7245	3" x 2 1/2"	202	----	----	2
7245	3" x 1 1/2"	455	----	----	3

FEMALE x MALE PIN LUG INCREASER



Catalog Page 7-9

Fig. No.	Size	CB	Wt.
7255	1 1/2" x 2 1/2"	358	2 1/4
7255	2" x 2 1/2"	332	2
7255	2 1/2" x 3"	285	3

Prices are for NST (*Unless Noted Otherwise). "Special" threads are listed on Page 45. Any thread other than NST is POA.

FEMALE x MALE BUSHINGS (NPT x NPT)




Catalog Page 7-9

Fig. No.	Size	Brass	Wt.
7280	6" X 4"	305	4
7280	8" X 6"	631	18

NEW YORK CITY FLOW TEST NIPPLE

(3" NYFD x 2 1/2" IPT, 2" IPT Internal Thread)



Catalog Page 7-9

Fig. No.	Size	Brass	Wt.
7285	3" X 2 1/2"	170	3

STORZ X STORZ ADAPTER



Catalog Page 7-9

Fig. No.	Size	Aluminum	Wt.
7290	4" X 6"	1,358	8
7290	5" X 6"	1,455	10

STORZ X THREADED ADAPTER (Female NPSH or NST)



Catalog Page 7-9

Fig. No.	Size	Aluminum	Wt.
7295	2 1/2" x 2 1/2"	311	3
7295	3" x 2 1/2"	305	3
7295	4" x 4"	745	4
7295	5" x 5"	721	7
7295	6" x 6"	947	10

Female British Instantaneous x Female NST





Catalog Page 7-10

Fig. No.	Size	Material	Price	Wt.
7305AL	2 1/2	Aluminum	267	2
7305BR	2 1/2	Brass	353	4

Female British Instantaneous x Male NST





Catalog Page 7-10

Fig. No.	Size	Material	Price	Wt.
7310AL	2 1/2	Aluminum	293	2
7310BR	2 1/2	Brass	344	3 1/2

Male British Instantaneous x Male NST



Catalog Page 7-10

Fig. No.	Size	Material	Price	Wt.
7315AL	2 1/2	Aluminum	239	2
7315BR	2 1/2	Brass	241	3

Male British Instantaneous x Female NST



Catalog Page 7-10

Fig. No.	Size	Material	Price	Wt.
7320AL	2 1/2	Aluminum	210	2
7320BR	2 1/2	Brass	259	3 1/2

British Instantaneous Male Plugs





Catalog Page 7-10

Fig. No.	Size	Material	Price	Wt.
7325AL	2 1/2	Aluminum	254	2
7325BR	2 1/2	Brass	164	2

British Instantaneous Female Caps





Catalog Page 7-10

Fig. No.	Size	Material	Price	Wt.
7330AL	2 1/2	Aluminum	255	2
7330BR	2 1/2	Brass	336	4

British Instantaneous Couplings



Catalog Page 7-10

Fig. No.	Size	Material	Price	Wt.
7335	1 1/2	Aluminum	POA	1
7335	2 1/2	Aluminum	POA	2
7355	2 x 1 1/2	Aluminum	POA	2

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

AUTOMATIC SPRINKLER HEADS



Catalog Page 8-2

Fig. No.	Type	Price
8001	Pendant	POA
8002	Pendant	POA
8003	Pendant	POA
8004	Pendant	POA
8005	Pendant	POA
8006	Pendant	POA
8010	Upright	POA
8011	Upright	POA
8012	Upright	POA
8013	Upright	POA
8014	Upright	POA
8015	Upright	POA
8020	Horizontal Sidewall	POA
8021	Horizontal Sidewall	POA
8022	Horizontal Sidewall	POA
8023	Horizontal Sidewall	POA
8024	Horizontal Sidewall	POA
8025	Horizontal Sidewall	POA

Option	Description	Price
CP	Chr. Plated	POA
W	White	POA
BB	Bright Brass	POA
CCO	Coro Coated	POA
LC	Lead Coated	POA

AUTOMATIC SPRINKLER ACCESSORIES







Catalog Pages 8-2 & 8-3

Fig. No.	Description	Price
8030	Steel Wrench	POA
8035	Recessed Sprinkler Head	POA
8036	Early Response Skr. Head	POA
8037	Steel Wrench (for recessed)	POA
8050	1/8" Sprinkler Escutcheons	POA
8051	1" Sprinkler Escutcheons	POA
8055-6	Spkr. Head Storage Cabinet (6)	35
8055-12	Spkr. Head Storage Cabinet (12)	39
8062	1" Sight Glass	POA
8064	1 1/4" Sight Glass	POA
8065	Sprinkler Headguard	POA

TESTING EQUIPMENT







Catalog Pages 8-4 & Page 8-5

Fig. No.	Description	Price
8072-VTD-25-V2	Enforcer II - Valve Testing Device	6,475
8072-CASE-V2	Case for Enforcer II VTD	696
8080	1" Sprinkler Line Tester	113
8083	Pitot Gauge (0-160 PSI)	491
8090	1 1/2 Cap Gauge w/Petcock	259
8091	2 1/2 Cap Gauge w/Petcock	288
8094	1 1/2 Line Gauge	662
8095	2 1/2 Line Gauge	768
8096	Flowmeter - 2 1/2" NST	7,678
8097	Thread Gauge (No Case)	483
8098	Pitot Diffusers (No Case)	2,248
8099	Hydrant Flow Meter	765

SUPERVISORY SWITCHES



Catalog Page 8-6

Fig. No.	Description	Price	Wt.
8150	OS & Y Supervisory Switch	314	3
8152	Butterfly or PIV	294	2

ALARM BELLS



Catalog Page 8-6

Fig. No.	Description	Price
8154	6" 24 VDC	128
8156	8" 24 VDC	159
8158	10" 24 VDC	177
8160	6" 120 VAC	128
8162	8" 120 VAC	159
8164	10" 120 VAC	177

PLUG TYPE SUPERVISORY SWITCH



Catalog Page 8-6

Fig. No.	Description	Price	Wt.
8165	Plug Type Supervisory Switch	599	1 2/3

WATER FLOW DETECTORS



Catalog Page 8-6

Fig. No.	Description	Price	Wt.
8182	1" thru 2" Water Flow Detector	462	2 3/5
8183	2" Water Flow Detector	457	4 1/5
8184	2 1/2" Water Flow Detector	457	4 2/7
8185	3" Water Flow Detector	457	4 1/2
8186	4" Water Flow Detector	457	5 1/5
8187	5" Water Flow Detector	470	6 2/7
8188	6" Water Flow Detector	457	6 4/5
8189	8" Water Flow Detector	525	7 1/2

Prices are for NST. "Special" threads are listed on Page 45. Any thread other than NST is POA.

STANDARD MONITORS



Catalog Page 9-2

Fig. No.	GPM (Max.)	Description	Price	Wt.
9004	1250	FM Brass (Handwheel)	**6,523**	47 1/2
9006	750	Discontinued	**N/A**	46

Note: Nozzle Not Included

WHEEL OPERATED MONITORS



Catalog Page 9-3

Fig. No.	GPM	Description	Price	Wt.
9012	1250	FM Brass (Handwheel)	**6,523**	47 1/2
9013	2000	Aluminum (Dual Handwheel)	**13,863**	38
9018	750	Discontinued	**N/A**	53
9020	1100	Discontinued	**N/A**	105

Note: Nozzle Not Included

SINGLE WATERWAY MONITORS



Catalog Page 9-4

Fig. No.	GPM (Max.)	Description	Price	Wt.
9025	1250	FM Brass (Tiller Bar)	**5,590**	58
9027	1250	Aluminum (Tiller Bar)	**4,320**	18
9031	1250	FM Brass (Handwheel)	**6,523**	47 1/2
9033	1250	Discontinued	**N/A**	45
9035	2500	FM Stainless Steel (Tiller Bar)	**30,400**	126

Note: Nozzle Not Included

PORTABLE CARTS (2-WHEEL SINGLE WATERWAY MONITORS)



Catalog Page 9-5

Fig. No.	GPM (Max.)	Description	Price	Wt.
9038	1000	(2) 2 1/2" Clapper Inlets	**32,415**	310
9039	1000	(4) 2 1/2" Clapper Inlets	**33,801**	315

Note: Nozzle Not Included

REMOTE CONTROL MONITOR (ELECTRIC)



Catalog Page 9-5

Fig. No.	GPM (Max.)	Description	Price	Wt.
9040	2000	Remote Control Monitor	**41,023**	57
9041	N/A	Hand Held Control	**4,834**	4

Note: Automatic Nozzle Included

ADJUSTABLE MASTERSTREAM NOZZLES



Catalog Page 9-6

Fig. No.	GPM (Max.)	Description	Price	Wt.
9046	500	2.5" Brass Adj. FM	**2,288**	12 1/2
9048	1250	2.5" Brass Adj.	**3,349**	15 3/5
9050	500	2.5" Aluminum Adj.	**1,919**	5 1/2
9052	1000	2.5" Aluminum Adj.	**4,077**	6 1/2
9054	500	2.5" Brass Adj.	**2,062**	9
9056	1000	2.5" Brass Adj.	**3,352**	10
9058	2000	3.5" Brass Adj.	**8,082**	22

DISCHARGE PIPE & STREAM SHAPERS



Catalog Page 9-6

Fig. No.	Material	Description	Price	Wt.
9060	Brass	2 1/2"F x 11" (Length) x 2.5" M	**1,492**	10
9062	Brass	2 1/2 F x 4 1/2" (Length) x 2 1/2" M	**814**	3
9064	Aluminum	3 1/2" F X 5 4/5" (Length) x 2 1/2" M	**1,123**	2

Note: Additional Sizes and Materials are available (POA).

NOZZLE TIPS



Catalog Page 9-6

Fig. No.	GPM (Max.)	Description	Price	Wt.
9066	1063	1-1/2" & 1-3/4" & 2.0"	**1,471**	4
9068*	1347	2 1/2" F NH x 9" Length x (Discharge)	**1,016**	4
9070	1063	1-3/8" & 1-1/2" & 1-3/4" & 2.0"	**2,235**	2 1/2

**Note: Must Selection Discharge Size. Available in Chrome (POA).*

HYDRANT MOUNT (GROUND LEGS)



Catalog Page 9-7

Fig. No.	GPM (Max.)	Description	Price	Wt.
9073	1200	Hydrant Mount	**6,599**	41

**Note: Must specify 3" or 4" Flange Outlet. Hydrant and Monitor not included.*

HYDRANT MOUNT UNIT



Catalog Page 9-7

Fig. No.	GPM (Max.)	Description	Price	Wt.
9076	750	FM Brass Hydrant Mount w/ Tiller Bar	**9,386**	65

Prices are for NST . "Special" threads are listed on Page 45. Any thread other than NST is POA.

2-WAY INLET BODIES w/ CLAPPERS

Fig. No.	Size	Style	Price
6010	4 x 2.5 x 2.5	Str.	735
6010GRV	4 x 2.5 x 2.5	Str.	735
6011-6012	4 x 2.5 x 2.5	Bottom/Top	864
6011-6012GRV	4 x 2.5 x 2.5	Bottom/Top	864
6020	6 x 2.5 x 2.5	Str.	1,450
6021-6022	6 x 2.5 x 2.5	Bottom/Top	1,706
6030	4 x 3 x 3	Str.	1,297
6031	4 x 3 x 3	Bottom	1,381
6032	4 x 3 x 3	Top	1,381
6035	5 x 3 x 3	Str.	3,332
6036	5 x 3 x 3	Bottom	3,745
6037	5 x 3 x 3	Top	3,745
6040	6 x 3 x 3	Str.	2,232
6041	6 x 3 x 3	Bottom	2,916
6042	6 x 3 x 3	Top	2,916

NOTE: 6050 thru 6082 - Use corresponding sizes above.

3-WAY INLET BODIES w/ CLAPPERS

Fig. No.	Size	Style	Price
6112	4 x 2.5 x 2.5 x 2.5	Str.	DISC.
6115	6 x 2.5 x 2.5 x 2.5	Str.	5,695
6116-6117	6 x 2.5 x 2.5 x 2.5	Bottom/Top	5,970

MULTI INLET BODIES w/ CLAPPERS

Fig. No.	Size	Style	Price
6230-6244	6 x 3 x 3 x 3 x 3	Vert/Hor/Tee	8,616
6250-6264	6 x 3 x 3 x 3 x 3 x 3 x 3	Vert/Hor/Tee	14,033
6270-6284	8 x 3 x 3 x 3 x 3 x 3 x 3	Vert/Hor/Tee	14,664
6290-6294	6 x 3 x 3 x 3 x 3	Square (Back/Top)	12,967

MULTI INLET BODIES (NO CLAPPERS)

Fig. No.	Size	Style	Price
6310-6312	4 x 3 x 3	Vert/Hor. (STEEL)	1,450
6315-6317	6 x 3 x 3 x 3	Vert/Hor.	6,001
6320-6322	6 x 3 x 3 x 3 x 3	Vert/Hor.	6,369
6325-6327	6 x 3 x 3 x 3 x 3 x 3 x 3	Vert/Hor.	7,918
6330-6332	8 x 3 x 3 x 3 x 3 x 3 x 3	Vert/Hor.	8,549
6334	6 x 3 x 3 x 3 x 3	Square (BACK)	7,848
6335	6 x 3 x 3 x 3 x 3	Square (ANGLE)	4,045
6337/6339	6 x 3 x 3 x 3 x 3	Vert/Hor.(BACK)	3,615
6338/6340	6 x 3 x 3 x 3 x 3	Vert/Hor.(ANG)	3,615

OUTLET BODIES (NO CLAPPERS)

Fig. No.	Size	Style	Price
6610	4 x 2.5 x 2.5	Straight	1,100
6611	4 x 2.5 x 2.5	Angle	864
6612	6 x 2.5 x 2.5	Straight	1,450
6613	6 x 2.5 x 2.5	Angle	1,706
6615	6 x 2.5 x 2.5 x 2.5	Straight	1,901
6882	4 x 2.5 x 2.5 x 2.5	Straight	1,683
6890	4 x 2.5 x 2.5	Vertical/End	2,054
6892	4 x 2.5 x 2.5 x 2.5	Vertical/End	2,258
6893	6 x 2.5 x 2.5 x 2.5	Vertical/End	3,284

TEST CONNECTION BODIES

Fig. No.	Size	Style	Price
6802	4 x 3 x 3	End Inlet (Steel)	1,450
6806	6 x 3 x 3 x 3	End Inlet	6,001
6807	6 x 3 x 3 x 3 x 3	End Inlet	6,369
6808	8 x 3 x 3 x 3 x 3 x 3 x 3	End Inlet	8,549
6815	4 x 2.5 x 2.5	Straight	735
6817	6 x 2.5 x 2.5 x 2.5	Straight	1,901
6818	6 x 3 x 3 x 3 x 3	Angle	2,573
6819	6 x 2.5 x 2.5 x 2.5 x 2.5	Straight (Steel)	2,695

BRASS SLEEVES (For Free-Standing FDC's)

Fig. No.	Size	CB	PB	PC
6518	4" x 18"	393	509	605
6518-SPE	4" x (18-23)"	563	687	784
6518-SPE	4" x (24-36)"	563	687	1,035
6519	5" x 18"	572	697	794
6520	6" x 18"	572	697	835
6520-SPE	6" x (18-23)"	826	964	1,099
6520-SPE	6" x (24-36)"	826	964	1,343
*6522	8" x 18" seamed	1,094	1,303	1,714

SWIVELS (Includes Ball Bearings, Set Screw, & Gasket)

Fig. No.	Size	CB	PB	RC	PC
6450	2 1/2"	61	85	85	109
6450-SPE	2 1/2"	85	109	109	134
6452	3"	82	106	106	131

STORZ ADAPTERS with Screens (No UL Listing)

Fig. No.	Size	Type	Alum.	PB	PC
6350	4" STZ x 4" F NPSH SW	30 Degree	POA	POA	POA
6352	5" STZ x 4" F NPSH SW	30 Degree	POA	POA	POA
6353	4" STZ x 6" F NPSH SW	30 Degree	POA	POA	POA
6354	5" STZ x 6" F NPSH SW	30 Degree	POA	POA	POA
6355	6" STZ x 6" F NPSH SW	30 Degree	POA	POA	POA
6360	4" STZ x 4" F NPT Rigid	Str.	POA	POA	POA
6361	5" STZ x 5" F NPT Rigid	Str.	POA	POA	POA
6362	5" STZ x 4" F NPT Rigid	Str.	POA	POA	POA
6363	4" STZ x 6" F NPT Rigid	Str.	POA	POA	POA
6364	5" STZ x 6" F NPT Rigid	Str.	POA	POA	POA
6365	6" STZ x 6" F NPT Rigid	Str.	POA	POA	POA
6368	4" STZ x 4" F NPSH SW	90 Degree	POA	POA	POA
6369	5" STZ x 4" F NPSH SW	90 Degree	POA	POA	POA
6370	4" STZ x 6" F NPSH SW	90 Degree	POA	POA	POA
6371	5" STZ x 6" F NPSH SW	90 Degree	POA	POA	POA
6380	4" STZ x 4" F NPSH SW	120 Degree	POA	POA	POA
6382	5" STZ x 4" F NPSH SW	120 Degree	POA	POA	POA
6383	4" STZ x 6" F NPSH SW	120 Degree	POA	POA	POA
6384	5" STZ x 6" F NPSH SW	120 Degree	POA	POA	POA

STORZ CAPS

Fig. No.	Size	Alum.	PB	PC
6360C	4"	333	POA	POA
6362C	5"	467	POA	POA
6365C	6"	628	POA	POA





			STEEL MANIFOLDS				ALUMINUM MANIFOLDS		
Size	Orientation	Type	Black	Color Powdercoat	Sandblast & Chrome	Wt.	Color Powdercoat	"Brass" Finish "Chrome" Finish	Wt.
4" 2-Way	Back	Threaded	**2,166**	POA	POA	Call	POA	POA	Call
4" 2-Way	Back	Grooved	**1,365**	POA	POA	Call	POA	POA	Call
4" 2-Way	End	Threaded	**1,523**	POA	POA	Call	n/a	n/a	-----
4" 2-Way	End	Grooved	**1,339**	POA	POA	Call	n/a	n/a	-----
4" 2-Way	Angled	Threaded	**2,166**	POA	POA	Call	POA	POA	Call
4" 2-Way	Angled	Grooved	**1,365**	POA	POA	Call	POA	POA	Call
6" 2-Way	Back	Threaded	**2,258**	POA	POA	Call	POA	POA	Call
6" 2-Way	Back	Grooved	**1,733**	POA	POA	Call	POA	POA	Call
6" 2-Way	End	Threaded	**2,258**	POA	POA	Call	n/a	n/a	-----
6" 2-Way	End	Grooved	**1,523**	POA	POA	Call	n/a	n/a	-----
6" 2-Way	Angled	Threaded	**2,258**	POA	POA	Call	POA	POA	Call
6" 2-Way	Angled	Grooved	**1,733**	POA	POA	Call	POA	POA	Call
6" 3-Way	Back	Threaded	**2,546**	POA	POA	Call	POA	POA	Call
6" 3-Way	Back	Grooved	**2,108**	POA	POA	Call	POA	POA	Call
6" 3-Way	End	Threaded	**2,223**	POA	POA	Call	POA	POA	Call
6" 3-Way	End	Grooved	**1,785**	POA	POA	Call	POA	POA	Call
6" 3-Way	Angled	Threaded	**2,546**	POA	POA	Call	POA	POA	Call
6" 3-Way	Angled	Grooved	**2,108**	POA	POA	Call	POA	POA	Call
6" 4-Way	Back	Threaded	**2,830**	POA	POA	Call	POA	POA	Call
6" 4-Way	Back	Grooved	**2,454**	POA	POA	Call	POA	POA	Call
6" 4-Way	End	Threaded	**2,546**	POA	POA	Call	POA	POA	Call
6" 4-Way	End	Grooved	**2,153**	POA	POA	Call	POA	POA	Call
6" 4-Way	Angled	Threaded	**2,830**	POA	POA	Call	POA	POA	Call
6" 4-Way	Angled	Grooved	**2,454**	POA	POA	Call	POA	POA	Call
6" 4-Way Square	Back	Threaded	n/a	n/a	n/a	Call	POA	POA	Call
6" 4-Way Square	Back	Grooved	n/a	n/a	n/a	Call	POA	POA	Call
6" 4-Way Square	Angled	Threaded	n/a	n/a	n/a	Call	POA	POA	Call
6" 4-Way Square	Angled	Grooved	n/a	n/a	n/a	Call	POA	POA	Call
6" 6-Way	Back	Threaded	POA	POA	POA	Call	POA	POA	Call
6" 6-Way	Back	Grooved	POA	POA	POA	Call	POA	POA	Call
6" 6-Way	End	Threaded	POA	POA	POA	Call	n/a	n/a	-----
6" 6-Way	End	Grooved	POA	POA	POA	Call	n/a	n/a	-----
6" 6-Way	Angled	Threaded	POA	POA	POA	Call	POA	POA	Call
6" 6-Way	Angled	Grooved	POA	POA	POA	Call	POA	POA	Call
8" 4-Way	Back	Threaded	POA	POA	POA	Call	n/a	n/a	-----
8" 4-Way	Back	Grooved	**2,861**	POA	POA	Call	n/a	n/a	-----
8" 4-Way	End	Threaded	POA	POA	POA	Call	n/a	n/a	-----
8" 4-Way	End	Grooved	**2,546**	POA	POA	Call	n/a	n/a	-----
8" 4-Way	Angled	Threaded	POA	POA	POA	Call	n/a	n/a	-----
8" 4-Way	Angled	Grooved	**2,861**	POA	POA	Call	n/a	n/a	-----
8" 6-Way	Back	Threaded	POA	POA	POA	Call	POA	POA	Call
8" 6-Way	Back	Grooved	**3,321**	POA	POA	Call	POA	POA	Call
8" 6-Way	End	Threaded	POA	POA	POA	Call	POA	POA	Call
8" 6-Way	End	Grooved	**3,032**	POA	POA	Call	POA	POA	Call
8" 6-Way	Angled	Threaded	POA	POA	POA	Call	POA	POA	Call
8" 6-Way	Angled	Grooved	**3,321**	POA	POA	Call	POA	POA	Call
8" 8-Way	End	Threaded	POA	POA	POA	Call	n/a	n/a	-----
8" 8-Way	End	Grooved	POA	POA	POA	Call	n/a	n/a	-----
10" 6-Way	Back	Grooved	POA	POA	POA	158	n/a	n/a	-----

Notes:

1) All bodies come standard with 3" Female NPT Outlets, 7" Center to Center

STANDARD THREADS

SIZE	THREAD LABEL	OUTSIDE DIAMETER MALE THREAD (OD)	THREADS PER INCH (TPI)
1.5	NEW YORK FIRE DEPT. "NYFD"	2.10	8
1.5	NATIONAL STANDARD THREAD "NST", NATIONAL HOSE "NH"	1.99	9
1.5	NEW YORK CORP. "NYC" or "NY CORP"	2.093	11
1.5	NATIONAL PIPE STRAIGHT HOSE "NPSH", IRON PIPE THREAD "IPT" or "IPS",	1.878	11.5
1.5	NATIONAL PIPE TAPERED "NPT"	1.878	11.5
2.5	NATIONAL STANDARD THREAD "NST", NATIONAL HOSE "NH"	3.0686	7.5
2.5	NATIONAL PIPE STRAIGHT HOSE "NPSH", IRON PIPE THREAD "IPT" or "IPS",	2.841	8
2.5	NATIONAL PIPE TAPERED "NPT"	2.841	8

SPECIAL THREADS

SIZE	TYPICAL LOCATION USED OR THREAD LABEL	OUTSIDE DIAMETER MALE THREAD (OD)	THREADS PER INCH (TPI)
2.5	(NEW) CINCINNATI, OH	3.058	6
2.5	PHOENIX, AZ; PITTSBURGH, PA	3.062	6
2.5	(OLD) CINCINNATI, OH	3.093	6
2.5	LOUISVILLE, KY	3.125	6
2.5	OKLAHOMA CITY, OK	3.156	6
2.5	DAYTON, OH	3.234	6
2.5	AKRON, OH	3.25	6
2.5	RALEIGH, NC	3.34	6
2.5	CHICAGO, IL	2.99	7.5
2.5	DETROIT, IL	3.125	7.5
2.5	NEW YORK CORP.; YONKERS, NY	3.00	8
2.5	NEWARK, NJ; TOLEDO, OH	3.00	8
2.5	NEW YORK FIRE DEPT. "NYFD"; BATON ROUGE, LA; LINCOLN, NE	3.03	8
2.5	CLEVELAND, OH; LAFAYETTE, LA	3.078	8
2.5	OMAHA, NE; ERIE PA	3.078	8
2.5	RICHMOND, VA	3.312	8

IMPORTANT: Notes on standard and special threads for specific items can be found on the corresponding page. Special threads may not be available on certain items. Please contact our Customer Service Department to confirm availability and pricing.